

# Subject Index

## *Chernobyl: Consequences of the Catastrophe for People and the Environment*

### ANNALS OF THE NEW YORK ACADEMY OF SCIENCES Volume 1181

Page numbers followed by *f* or *t* indicate material in figures or tables, respectively.

#### A

- aberrations
  - chromosomal, 65–71, 75–76
  - de novo*, 73–74, 76
  - fauna, 265–268, 273, 323
  - flora, 248–250, 248*t*, 249*t*, 323
  - genetic polymorphisms of proteins, 72–73
  - genomic, 65, 71–72
  - as indicators of health status, 75–76
  - nonstable, 65, 68, 69, 70*f*
  - satellite DNA, 73
  - stable, 65, 69
- Abies concolor*, 244
- abnormalities. *See* aberrations; anomalies;  
*specific types*
- aborted fetuses, analysis of, 98, 125, 127, 128*t*
- abortions
  - medical, 97, 195, 325
  - spontaneous, 73–74, 192–196, 198*t*
    - in Belarus, 43, 97
    - in Iceland, 195, 197*f*, 198*t*
    - in Russia, 49, 100, 101*f*, 193
    - in Ukraine, 99, 193
- Abramis brama*, 264
- “absence of proof,” 39
- absinthe plant, 238–239
- absorbents
  - in agriculture, 312
  - in human body, 304–309, 316, 324
- accelerated aging, 55–57, 321–322
- accommodation, visual, 55, 112, 114
- accumulation
  - bioaccumulation, 221, 227, 282, 285, 315, 323
  - coefficient of
    - in fauna, 255–256
    - in flora, 237
  - Achillea millefolium*, 243, 249
- acquired immune deficiencies, 1, 87. *See also*  
immune system diseases
- ACTH. *See* adrenocorticotropin hormone
- acute bronchitis, 88, 91
- “acute inhalation depression of the upper  
respiratory system,” 92–93, 321
- acute lymphoblastic leukemia (ALL), 177*t*,  
178–179, 178*t*, 180
- acute myeloid leukemia (AML), 179
- acute nonlymphoblastic leukemia, 177*t*,  
178*t*
- acute radiation sickness, viii
- acute respiratory virus infections (ARVs), 88,  
93
- adaptation, to radiation, 285–286, 323
- additives, food, 303–309, 315
- adenoid hypertrophy, 89
- adenomas, prostatic, 99
- adrenal cancer, 183, 184*t*
- adrenal glands, 77–78, 80, 90, 299*t*
- adrenocorticotropin hormone (ACTH), 79*t*
- Aegean Sea, 268
- aerosols
  - atmospheric contamination by, 223–226
  - geographic distribution of, 6–27, 8*f*

- and respiratory disease, 92–93
- stages of cloud formation, 8*f*
- Afghanistan, contamination of, 15
- Africa, contamination of, 8*t*, 16, 319
- Ag-110. *See* silver-110
- agaric mushrooms, 315
- age-dependent macular degeneration (AMD), 114
- aging, accelerated, 55–57, 321–322
- aglet, 243
- agriculture
  - food contamination in. *See* food contamination
  - land contamination/loss in, 9–10, 311–312
  - protection measures in, 312–313, 312*t*, 313*t*, 316, 324
- Agrobacterium*, 282
- Agrobacterium tumefaciens*, 247
- AIDS, Chernobyl, 1, 87, 218, 320, 322. *See also* immune system diseases
- Alaska, contamination of, 15
- Albania, contamination of, 11*t*
- albino, bird, 267, 267*f*
- albumin layer, of erythrocytes, 59
- Alces alces*, 256*t*, 257, 259*f*, 259*t*, 292
- alcohol dependence, 108
- aldosterone, 79*t*
- Aleksievich, Svetlana, 37
- algae, green, 316
- alginates, 304, 309
- ALL. *See* acute lymphoblastic leukemia
- allergies, 88, 91, 92
- Allium cepa*, 249, 249*t*
- alopecia, 55, 121, 128
- Alternaria alternata*, 282
- Am. *See* americium
- AMD. *See* age-dependent macular degeneration
- americium (Am)
  - bioaccumulation of, 285
  - contamination
    - aquatic (water), 227, 228*t*
    - flora, 244
    - food, 294
    - with multiple radionuclides, 35
    - soil (ground), 323
  - genetic effects of, 77
  - americium-241 (Am-241)
    - and cancer, 184
    - contamination, 24
      - fauna, 256*t*, 257
      - movement to food chain, 221
      - soil (ground), 231*t*, 316
    - mortality effects of, 210
- amphibians
  - biological changes in, 271–272
  - genetic changes in, 267
  - incorporation of radionuclides in, 258–259, 323
- Amphipoda, 268
- Anas platyrhynchos*, 257, 260*t*
- anemia, 60
  - aplastic, 59, 99
  - in breast-fed babies, 88
  - genetic polymorphisms of proteins and, 72
  - hypochromatic, 270
  - iron-deficient, 59
  - postnatal, 97
  - during pregnancy, 97, 99
- anencephaly, 132
- animals, 255–279
  - biological changes in, 268–271
  - clean breeding of, 313, 313*t*
  - deteriorating health of, 255, 285
  - genetic changes in, 265–266, 285–286
  - incorporation of radionuclides, 255–257, 323
  - indicator species, 256–257
  - maximum radionuclide concentrations in, 256, 256*t*
  - reproductive abnormalities in, 259–263
- Annan, Kofi, 2
- anomalies. *See also specific types*
  - congenital, 73–74, 125–134, 321
  - plant, 246–248
- anoxic metabolism, 134
- Antarctica, contamination of, 16
- antenatal mortality, 192–196
  - in Belarus, 43, 97, 192–193, 193*f*, 196
  - bone disease and, 102, 103*t*
  - in Croatia, 194, 194*f*
  - in Denmark, 195, 197*f*, 198*t*
  - in Finland, 195, 198*t*
  - in Germany, 193*f*, 194–195, 197*f*, 198*t*

- in Greece, 193*f*, 198*t*
- in Hungary, 193*f*, 195, 197*f*, 198*t*
- in Iceland, 195, 197*f*, 198*t*
- in Italy, 198*t*
- in Norway, 195, 197*f*, 198*t*
- in Poland, 193*f*, 195, 197*f*, 198*t*
- in Russia, 49, 100, 193, 194*f*, 196
- sex ratio in, 195, 196*f*, 197*f*
- in Sweden, 193*f*, 195, 197*f*, 198*t*
- in Switzerland, 198*t*
- in Ukraine, 99, 193, 196, 197, 200*f*
- in United Kingdom, 195, 196*f*
- anthocyanin, in plants, 250, 250*t*
- antibodies, 87–90
- antimony-124 (Sb-124), 22*f*–23*f*
- antimony-125 (Sb-125), contamination
  - Greece, 12, 22*f*–23*f*
  - surface air (atmospheric), 225*t*
  - uneven/spotty, 22*f*–23*f*
- antimony-126 (Sb-126), 21
- antimony-127 (Sb-127), 225*t*
- antioxidants
  - activity of, 56, 59, 76, 77*t*, 90, 264
  - decorporation by, 303
  - in protection measures, 315, 316
- anxiety, 108
- aplastic anemia, 59, 99
- APO-1/FAS antigen, 88
- Apodemus flavicollis*, 256–257, 256*t*, 265, 269
- apologists, for nuclear power, vii–ix, 325–326
- apple juice, 294
- apple pectin, 305, 316, 324
- apricots, 294
- aquatic contamination, 221, 226–229, 228*t*, 232–233, 259, 285, 322–323
  - in Belarus, 226–228
  - in Canada, 228, 229*t*
  - in Finland, 228, 229*t*
  - in France, 228, 229*t*
  - in Greece, 228, 229*t*
  - plant, 227, 228*t*, 238, 240*t*
  - in Russia, 226–228
  - in Sweden, 229, 230*f*
  - Tyrrhenian Sea, 229, 230*f*
  - in Ukraine, 226–228, 228*t*
- aquatic plants, 227, 228, 228*t*
- Arabidopsis thaliana*, 249, 250, 250*t*
- arctic hare, 256*t*
- Arctic regions, contamination of, 16, 226
- Aristichthys nobilis*, 264
- Armenia
  - contamination of, 319
  - urogenital/reproductive disease in, 101
- Armillariella mellea*, 245, 245*t*
- arrhythmia, 62
- Artemisia absinthe*, 238–239
- Artemisia campestris*, 249
- arteriosclerosis, 56
- ARVs. *See* acute respiratory virus infections
- Asia, contamination of, 8*t*, 14–15, 18*f*, 25–26, 319
- aspen leaf, 238*f*
- aspen mushroom, 245*t*
- asphyxia, newborn, 93, 95
- Asteraceae, 243
- asthma, 93, 94, 95, 283
- asthmatic bronchitis, 91
- astigmatism, 114
- atherosclerosis, 56, 62–64, 108
- atmospheric contamination, 223–226, 227*t*, 232–233, 285, 322–323
  - in Belarus, 223–225, 224*t*, 225*f*
  - concentrations of radionuclides in, 223, 224*t*
  - dynamics of radionuclides in, 223, 224*t*, 225*f*
  - in Finland, 225, 225*t*
  - in Russia, 223–225
  - in United States, 226, 226*t*
- “atmospheric radiotoxins,” 226, 237
- atrophic gastritis, 24, 87
- attention deficit, 105, 108, 109, 111
- Austria
  - cancer morbidity in, general, 185*t*
  - cancer mortality in, 185*t*
  - chromosomal aberrations in, 70
  - congenital malformations in, 130, 131*t*
  - contamination of, 11*t*, 231, 319
  - protection measures in, 316
  - thyroid cancer in, 170
- autoimmune orchitis, 101
- autoimmune thyroiditis, 79, 80, 83–84, 85, 165

autonomic nervous system disorders, 63, 105,  
110, 119, 205, 217, 321  
autumnal hawkbit, 249

## B

Ba-140. *See* barium-140  
bacteria, 281–284, 323  
baldness, 55, 121, 128  
Baltic Sea, 259, 291, 292*f*  
bank voles  
biological changes in, 268  
*Eimeria cerna* in, 282–283, 282*t*  
genetic changes in, 265–266, 266*t*, 323  
incorporation of radionuclides in, 256–257,  
256*t*, 257*f*, 258*f*, 323  
nematode and cestode invasion of, 272,  
273*t*  
reproductive abnormalities in, 260,  
262–263, 323  
BAOs. *See* bioantioxidants  
barium-140 (Ba-140)  
contamination, 15  
aquatic (water), 228, 229*t*  
soil (ground), 232  
surface air (atmospheric), 224*t*, 225, 225*t*,  
226  
uneven/spotty, 21  
“hot particles,” 21  
primary emissions of, 19*t*  
barium sulfates, 304  
barley, 243, 247, 248*t*  
barn swallows  
biological changes in, 271  
genetic changes in, 266–267, 267*f*  
reproductive abnormalities in, 263–264  
B cells, 87–90  
Be-7. *See* beryllium-7  
Becquerels (or Bequerels) per square meter  
(Bq/m<sup>2</sup>), xii  
beef, 291, 315  
beetles, 267–268  
beetroot, 243, 315  
behavioral disorders, 107, 115  
Belarus  
contamination of, 7–10, 319  
agricultural land, 9–10, 311–312  
aquatic (water), 226–228

Cs-137, 7–8, 8*t*, 11*t*, 14*f*  
fauna, 255–279  
flora, 237–254  
heavy metal, 24, 43, 43*t*  
I-131, 7, 13*f*  
I-132, 7, 13*f*  
lead, 24, 43, 43*t*  
population affected by, 25, 25*t*  
Pu, 9, 16*f*  
soil (ground), 229–230  
Sr-90, 8–9, 15*f*  
surface air (atmospheric), 223–225, 224*t*,  
225*f*  
Te-132, 7, 13*f*  
economic damage in, 325  
food contamination in, 289–290, 290*t*, 291*t*,  
294–298  
health effects in  
accelerated aging, 55  
blood and blood-forming organ disease,  
58–59, 59*t*  
bone and muscle diseases, 102  
breast cancer, 181–182, 182*f*  
cancer morbidity, general, 162–163, 162*t*,  
163*f*, 163*t*, 184–185, 184*t*, 185*t*  
cancers other than thyroid and blood,  
181–182  
cardiovascular disease, 62  
chromosomal aberrations, 66, 66*t*  
congenital malformations, 125–127, 125*t*,  
126*t*, 127*t*, 128*t*  
digestive system and visceral organ, 116  
endocrine system disease, 78–79  
general morbidity, 42–45, 134  
in adults, 44–45  
in children, 42–44, 43*t*, 44*t*, 133*t*  
immune system, 87–89, 89*t*  
infections and parasitic infestations,  
122–123  
leukemia, 177–178, 177*t*, 178*t*  
lymphoid cancer, 177, 177*f*, 178*t*, 179*t*  
nervous system, 105–106  
respiratory system, 93  
sense organ, 112–113, 113*f*, 113*t*  
skin disease, 120–121  
thyroid cancer, 165–166, 165*f*, 166*f*, 167*t*,  
168*f*, 176

- thyroid disease, 78–79  
trisomy 21 (Down syndrome), 71, 72*f*, 72*t*  
urogenital/reproductive, 97  
human body contamination in, 294–298,  
296*t*–297*t*, 297*f*–299*f*, 299*t*  
life expectancy in, 193, 193*f*  
mortality in  
antenatal, 43, 97, 192–193, 193*f*, 196  
cancer, 184–185, 184*t*, 185*t*  
infant, 42, 200, 201*f*  
liquidator, 201–203  
overall (general), 205–206, 206*f*, 207,  
209, 218  
perinatal, 197, 199*f*  
total number of extra deaths, 209, 210*t*,  
322  
total number of victims, 209–211  
national report (2006), xi  
population shifts (moving) in, 36  
protection measures in, 311–317  
Belarus National Academy Forest Institute,  
314  
Belarussian berries, 239  
Belarussian Institute of Radiation Medicine  
and Endocrinology, 304  
Belarus State Committee on Standardization,  
295  
Belgium  
cancer morbidity in, general, 185*t*  
cancer mortality in, 185*t*  
contamination of, 11*t*  
BELRAD Institute, 39, 289–290, 294,  
305–308, 324  
benthic fish, 315  
Bering Sea, 226  
berries, 239–244, 242*f*, 242*t*, 290, 314–315,  
324  
berry juices, 294  
beryllium-7 (Be-7), 15, 225  
beta-carotene, 305  
beta contamination, 226*t*, 227*t*, 233*t*  
*Betonica officinalis*, 241  
*Betula pendula*, 241  
BfS-Workshop on Chernobyl Health  
Consequences, 38  
bilberries, 239–244, 241*f*, 241*t*, 242*f*, 242*t*  
biliary disease, 116–120  
bilirubin, 59  
bioaccumulation, 221, 227, 282, 285, 315, 323  
bioantioxidants (BAOs), 59  
bioconcentration, 233  
biosimetry, 34–35  
biological age, accelerated, 55–56  
biota, microbial, 281–284, 285, 323  
birch mushroom, 245*t*  
birds  
biological changes in, 271  
genetic changes in, 266–267, 267*f*  
immigration to Chernobyl zone, 273, 285  
incorporation of radionuclides in, 257–258,  
260*t*, 323  
reproductive abnormalities in, 263–264  
birth(s)  
cesarean, blood loss in, 62  
premature, 42, 43, 50, 98, 99, 195  
sex ratio in, 101–102, 194  
birth defects. *See* congenital malformations  
birth rate, reduction in, 193, 195  
birth weight, low, 43, 45–46, 49–50, 50*f*, 74,  
199*t*  
“black hole,” 323  
black microfungi, 282  
black milk mushroom, 245*t*  
black redstart, 267  
Black Sea, 268  
bladder, 96, 99  
bladder cancer, 182, 183, 184, 184*t*  
blood cell morphology, 60  
blood disease  
in children of irradiated parents, 74, 74*t*  
malignant, 177–181, 321. *See also* leukemia  
nonmalignant, 58–61, 64–65  
in Belarus, 58–59, 59*t*  
in Russia, 60–61  
in Ukraine, 59–60  
blood-forming organs, diseases of, 58–61,  
64–65  
blood pressure, 62–64  
blood vessels  
accelerated aging of, 55–56  
diseases of, 62–64, 320  
bloodwort (*Achillea millefolium*), 243, 249  
blueberries, 241–244, 241*t*, 242*f*, 243, 243*t*,  
244*t*, 315

blue boletus, 245*t*  
 boars  
   deteriorating health of, 255, 285  
   hematological changes in, 270  
   hunting of, 314–315  
   incorporation of radionuclides, 256*t*, 257, 259*t*, 323  
   reproductive abnormalities in, 260–261, 262*t*  
 body malformations, 125, 132*f*, 133. *See also* congenital malformations  
 “boiler,” microevolutionary, 323  
*Boletus edulus*, 245, 245*t*  
*Boletus luridus*, 245  
 boletus mushrooms, 245, 315  
*Boletus versipellis*, 245*t*  
*Bombina bombina*, 258  
 bone density, 102–104  
 bone diseases, 102–104, 320–321  
   in Belarus, 102  
   in Russia, 103–104, 103*t*, 104*t*  
   in Ukraine, 102–103, 103*t*  
 bone pain, 102, 111  
 Boraginaceae, 243  
*Bos taurus*. *See* cattle  
 Bradford Hill criteria, 50  
 brain  
   circulation in, 64, 108  
   diseases of, 104–112  
   EEG patterns in, 106, 108, 109, 110, 111  
   radiosensitivity of, 105  
 brain tumors, 128, 129*f*, 182, 183, 183*f*, 184  
 bread, contamination of, 292  
 bream, 228*t*, 264  
 breast cancer, viii, 181–184  
   in Belarus, 181–182, 182*f*  
   in Russia, 183  
   time until clinically apparent, 161  
   in Ukraine, 182–183  
 breast neoplasms, in rats, 271, 271*t*  
 breathing difficulties, 92–96  
 bronchial asthma, 93, 94, 95  
 bronchial epithelium, 96  
 bronchial tubes, 92  
 bronchitis  
   acute, 88, 91  
   asthmatic, 91  
   chronic, 94–95, 94*f*, 95

bronchopulmonary morbidity, 92–96  
 brown frogs, 267, 272  
 brown hare, 256*t*, 259*t*  
 buckthorn (*Frangula alnus*), 242, 242*f*, 243  
*Bufo bufo*, 259  
 Bulgaria  
   cancer morbidity in, general, 164, 185*t*  
   congenital malformations in, 130, 131*t*  
   contamination of, 10, 11*t*, 21, 231  
   effective individual dose in, 316  
   food contamination in, 295*t*, 316  
   maternal toxemia in, 101  
   mortality in, cancer, 185*t*

## C

CA. *See* coefficient of accumulation  
 Ca. *See* calcium  
 calcitonin, 80, 83  
 calcitriol, 80  
 calcium  
   as radionuclide antagonist, 312, 315–316  
   supplement, with decorporation, 305  
 calcium metabolism hormones, 80, 83  
*Calendula officinalis*, 243  
 Canada, contamination of, 15  
   aquatic (water), 228, 229*t*  
   surface air (atmospheric), 225  
 cancer, 161–191  
   bladder, 182, 183, 184, 184*t*  
   blood (leukemia), 161, 177–181, 321  
   breast, viii, 161, 181–184, 182*f*  
   colon, 182  
   early data/forecasts on, 32, 161–162  
   general morbidity in, 162–164, 184–185, 184*t*, 185*t*  
     in Belarus, 162–163, 162*t*, 163*f*, 163*t*  
     in Russia, 164, 164*f*  
     in Ukraine, 163–164  
   intestinal, 182  
   kidney, 182, 184, 184*t*  
   latencies of, 161, 219  
   lung, viii, 161, 181–184  
   mortality from, 184–185, 184*t*, 185*t*, 206–207, 208*t*, 209  
   nervous system, 182–183, 183*f*  
   pancreatic, 182  
   prostate, 183, 206–207  
   rectal, 161, 182

- screening and prevention, 325  
 skin, 161, 181, 183, 184*t*  
 stomach, 161, 181, 182, 183  
 thyroid, viii, 2, 76, 86, 161, 165–176, 321  
 time until clinically apparent, 161  
 urogenital, 182, 183  
 viruses and, 283  
 “cancer epidemic,” 218–219  
 “cancer rejuvenescence,” 321  
*Cantharellus cibarius*, 245*t*  
*Capreolus capreolus*, 256*t*, 257, 259*t*  
*Carassius auratus*, 272, 272*t*  
*Carassius carassius*, 272, 272*t*  
 caraway seeds, 294  
 cardiac rhythm abnormalities, 62  
 cardiovascular disease, viii, 61–65  
   in Belarus, 62  
   chromosomal aberrations and, 76  
   in Russia, 63–64, 63*t*  
   in Ukraine, 63  
 caries, dental, 116, 117, 118, 128  
 carp (fish), 264, 265*f*, 267, 272, 272*t*, 315  
*Carum*, 294  
 Caryophyllaceae, 243  
 case-control approach, 37  
 cataracts, viii, 2, 56, 112–116  
   in Belarus, 112–113, 113*t*  
   congenital, 112, 113, 115, 130  
   involutional, 114  
   radiogenic origin of, 116  
   in Ukraine, 113–115  
 catastrophe, definition of, xii  
 catfish, 259, 315  
 cat’s tail, narrow-leaved, 240*t*  
 cattle. *See also* beef; milk  
   deteriorating health of, 255  
   hematological changes in, 269, 269*t*  
   incorporation of radionuclides, 256*t*, 257, 259*t*  
   protection measures for, 312–313  
   reproductive abnormalities in, 261, 263*t*  
 Caucasus, contamination of, 14–15, 320  
 CD3<sup>+</sup> cells, 87  
 CD4<sup>+</sup> cells, 87, 91, 92  
 CD8<sup>+</sup> cells, 91, 92  
 CD22 cells, 87  
 CDAs. *See* congenital developmental anomalies  
 Ce-144. *See* cerium-144  
 cells. *See specific types*  
 central nervous system  
   disorders of, viii, 105, 321. *See also* nervous system diseases  
   malformations of, 128–131  
   tumors/neoplasms of, 128, 129*f*, 182, 183*f*  
 cerebrovascular disease, 62–64  
 cerium-141 (Ce-141)  
   contamination, 15  
     aquatic (water), 228*t*  
     flora, 238*t*, 239*t*  
     surface air (atmospheric), 225, 225*t*  
   dose spectrum changes in, 23  
   primary emissions of, 19*t*  
 cerium-143 (Ce-143), 225*t*  
 cerium-144 (Ce-144) contamination, 15  
   aquatic (water), 228*t*  
   dose spectrum changes, 23  
   flora, 238*t*, 244, 245*t*  
   “hot particles,” 21, 92  
   primary emissions, 19*t*  
   surface air (atmospheric), 225  
   uneven/spotty, 20*f*  
 cesarean birth, blood loss in, 62  
 cesium, decorporation of, 304–309, 309, 324  
 cesium-134 (Cs-134)  
   and cancer mortality, 208*t*  
   contamination  
     aquatic (water), 228–229, 228*t*, 229*t*  
     Europe, 6–7  
     fauna, 256–257, 256*t*, 258*f*, 260*t*  
     flora, 238*t*, 244  
     food, 291, 293, 294, 294*t*  
     human body, 294–295, 298–299  
     North America, 15, 18*t*  
     soil (ground), 231, 232, 232*t*, 233*t*  
     Southern Hemisphere, 16  
     surface air (atmospheric), 224*t*, 225*t*, 226, 226*t*  
   primary emissions of, 19*t*  
   and thyroid cancer, 176  
 cesium-135 (Cs-135), 245*t*  
 cesium-136 (Cs-136)  
   dose spectrum changes in, 23  
   primary emissions of, 19*t*  
   surface air contamination, 225*t*

- cesium-137 (Cs-137)  
 bioaccumulation of, 285  
 contamination  
   Africa, 8*t*, 16  
   aquatic (water), 227–229, 228*t*, 229*t*, 230*f*  
   Asia, 8*t*, 14, 18*f*  
   Belarus, 7–8, 8*t*, 11*t*, 14*f*  
   dose spectrum changes, 23  
   Europe, 6–7, 8*t*, 10–14, 10*f*, 11*t*  
   European Russia, 8*t*, 11*t*  
   fauna, 256–259, 256*t*, 258*f*, 259*f*, 259*t*, 260*t*  
   flora, 238*t*, 239–246, 239*t*, 240*t*, 244*t*, 245*t*  
   food, 290–294, 290*t*, 291*t*, 292*f*, 292*t*, 293*f*, 293*t*, 294*t*, 295*t*, 300, 309  
   geographic distribution of, 8*t*  
   “hot particles,” 21  
   human body, 294–300, 296*t*–297*t*, 297*f*–299*f*, 299*t*  
   microbial, 282  
   movement to food chain, 221  
   with multiple radionuclides, 35  
   North America, 15, 18*t*  
   primary emissions, 19*t*  
   soil (ground), 229–232, 231*t*, 232*t*, 233*t*, 316, 323  
   Southern Hemisphere, 16  
   surface air (atmospheric), 224–226, 224*t*, 225*f*, 225*t*, 226*t*, 227*t*  
   Ukraine, 8*t*, 10, 11*t*, 17*f*  
   uneven/spotty, 20, 20*f*, 21, 22*f*–23*f*  
   United States, 8*t*, 226*t*  
 decorporation of, 304–309, 324  
 direct measurements of, 308  
 health effects  
   accelerated aging, 55  
   blood/blood-forming organ disease, 59, 60  
   cancer morbidity, 162*t*, 164, 184  
   cardiovascular, 62  
   digestive system, 116, 119  
   endocrine, 79, 80, 81*t*, 82*t*  
   eye/visual, 113, 114  
   genetic, 66, 67, 68, 77  
   immune system, 87–88, 91  
   *in utero* exposure, 43  
   placenta changes, 99, 102  
   primary morbidity, 44  
   thyroid cancer, 176  
   thyroid disease, 84  
   incorporated long-living, 217–218  
 mortality effects  
   cancer, 184, 208*t*  
   infant, 199, 202*f*  
   overall (general), 205–206, 207, 210  
   perinatal, 198  
   protection measures against  
     agricultural, 312, 312*t*, 313*t*  
     everyday life, 315–316  
     forestry, hunting, and fisheries, 313  
 cestodes, 272, 273*t*  
 CFS. *See* chronic fatigue syndrome  
 chanterelle, 245*t*  
 charr, 261*f*  
 cheese, 292, 293, 294, 303  
*Chernobyl. 20 Years After. Myth and Truth*, xi  
*Chernobyl: 20 Years On. Health Effects of the Chernobyl Accident*, xi  
 “Chernobyl Accident’s Consequences: An Estimation and the Forecast of Additional General Mortality and Malignant Diseases,” x  
 “Chernobyl AIDS,” 1, 87, 218, 320, 322. *See also* AIDS; immune system diseases  
 “The Chernobyl Catastrophe—Consequences on Human Health,” x  
 “Chernobyl collar,” 1  
 “Chernobyl contamination,” xii, 1. *See also* contamination  
 “Chernobyl dementia,” 109, 218  
*Chernobyl Digest*, xi  
 “Chernobyl dust,” 1, 21, 92–93, 223–226. *See also* “hot particles”  
 “Chernobyl effect,” 170  
 The Chernobyl Forum, x, xi, 1, 32, 104, 209, 322  
 “Chernobyl generation,” 176, 184, 185  
 “Chernobyl heart,” 1, 218, 322  
 “Chernobyl legs,” 218  
 “Chernobyl limbs,” 322  
 “Chernobyl liquidators,” 1. *See also* liquidators  
*Chernobyl Prayer* (Aleksievich), 37  
 “Chernobyl territories,” xii



- chickens, 255
- childhood mortality, 196, 201  
 in Belarus, 201  
 in Russia, 201  
 in Ukraine, 201
- children  
 accelerated aging in, 55–56  
 blood and blood-forming organ disease in  
 in Belarus, 58–59, 59*t*  
 in Russia, 60–61  
 in Ukraine, 59–60  
 bone and muscle diseases in  
 in Belarus, 102  
 in Russia, 103, 103*t*, 104*t*  
 serious effects of, 104  
 in Ukraine, 102  
 cancer morbidity in, general, 164, 164*f*  
 cardiovascular disease in  
 in Belarus, 62  
 in Russia, 63  
 in Ukraine, 63  
 chromosomal aberrations in  
 in Belarus, 66  
 in Russia, 68, 68*t*  
 in Ukraine, 67  
 chronically ill, 45–46, 46*f*  
 congenital malformations in. *See* congenital malformations  
 deaths of. *See* childhood mortality  
 decorporation in, 303–310  
 digestive system/visceral organ diseases in  
 in Belarus, 116  
 in Russia, 118, 118*t*, 119*t*  
 in Ukraine, 117  
 endocrine system disease in  
 in Belarus, 78–79  
 in Russia, 80–83, 81*f*, 81*t*  
 in Ukraine, 80  
 food contamination and body burden in, 294–300  
 general morbidity of  
 in Belarus, 42–44, 43*t*, 44*t*  
 in Russia, 48–49, 49*t*  
 in Ukraine, 45–46, 45*t*, 46*f*, 47*t*  
 healthy, percentage of, 2  
 immune system disease in  
 in Belarus, 87–89, 89*t*  
 in Russia, 90–91  
 in Ukraine, 89–90  
 infections and parasitic infestations in  
 in Belarus, 122–123  
 in Russia, 124, 124*t*  
 in Ukraine, 123–124  
 international help for, 308–309  
 Internet resources on, xi  
 of irradiated parents, viii, 74–75, 74*t*  
 chromosomal aberrations in, 67, 68, 75  
 congenital anomalies/malformations in, 74, 74*f*, 128, 130  
 endocrine disease in, 81, 81*f*  
 general morbidity of, 74–75, 75*t*  
 immune status of, 89, 91  
 lead contamination in, 24  
 leukemia in  
 in Belarus, 177  
 in Russia, 179–180, 181*t*  
 in Ukraine, 178–179, 180*t*  
 nervous system diseases in  
 in Belarus, 105  
 in Russia, 109, 109*t*  
 in Ukraine, 106–107, 106*f*, 106*t*, 107*t*  
 “practically healthy,” viii, 42, 45, 46*f*, 74, 88  
 respiratory system disease in  
 in Belarus, 93  
 in Ukraine, 93–94  
 sense organ diseases in, 112–113, 113*f*  
 skin diseases in  
 in Belarus, 120–121  
 in Russia, 121, 121*t*  
 thyroid cancer in  
 in Belarus, 165–166, 165*f*, 166*f*  
 in Russia, 168–169, 171*f*  
 in Ukraine, 166–168, 169*f*  
 thyroid disease in, viii, 83–86  
 in Belarus, 83–84  
 in Russia, 86, 86*t*  
 in Ukraine, 85, 85*t*  
 urogenital/reproductive disease in  
 in Belarus, 97  
 in Russia, 100, 100*t*  
 in Ukraine, 98  
 “children of Chernobyl,” xi, 1. *See also* children  
 “Children of Chernobyl of Belarus,” 305, 306  
 China, contamination of, 14, 15, 319, 320

- chlorine-36 (Cl-36)  
 and cancer, 184  
 contamination, 18
- chocolate, 294
- cholecystitis, chronic, 117, 118
- chorioretinal degeneration, 114–115
- chromosomal mutations, 65–71  
 in Belarus, 66, 66*t*  
 in children of irradiated parents, 67, 68, 75  
 fauna, 265–268  
 flora, 248–250  
 frequency of, changes in, 65–71  
 incidence of, 65–66, 66*t*  
 as indicators of health status, 75–76  
 nonstable, 65, 68, 69, 70*f*  
 in Russia, 68–70, 68*t*, 69*t*, 70*f*, 70*t*, 71*t*  
 stable, 65, 69  
 in Ukraine, 67–68, 67*t*
- chronically ill children, 45–46, 46*f*
- chronic bronchitis, 94–95, 94*f*, 95
- chronic fatigue syndrome (CFS), 107, 218, 321
- chronic gastritis, 116, 119
- chronic obstructive pulmonary disease (COPD), 94, 94*f*, 96
- chronic pyelonephritis, 98
- chronic radiation dermatitis, 99
- chronic thyroiditis, 85–86, 85*f*
- chronic tonsillitis, 61, 89, 93
- chub (fish), 315
- circulating immune complexes (CICs), 87, 89, 90, 92
- circulatory disease, 58–65, 320
- cirrhosis, 116
- Cl-36. *See* chlorine-36
- Cladonia silvatica*, 245*t*
- Cladonia stellaris*, 245*t*
- Cladosporium cladosporioides*, 282
- “clean territory,” xii
- cleanup workers. *See* liquidators
- cleft lip and palate, 72, 128, 130–131
- Clethrionomys glareolus*. *See* bank voles
- climacteric syndrome, 99
- cloud, radioactive, 6–27
- clover, 239
- clusters of disease, 39
- Cm-242. *See* curium-242
- CMs. *See* congenital malformations
- cobalt, for radioprotection, 303–304, 316
- cobalt-60 (Co-60) contamination, 15, 225
- coccids, 282
- coefficient of accumulation (CA)  
 in fauna, 255–256  
 in flora, 237
- cognitive effects, 106–109, 106*f*, 112, 115
- collective dose, 24, 25*t*, 174, 219
- colon cancer, 182
- Colorado beetle, 267–268
- “Comchernobyl,” 289–290
- common reed grass, 240*t*
- common shrew, 256*t*, 271, 271*t*
- common toad, 259
- complement activity, 87
- concealment of data, 33–35, 177, 319, 325–326
- confidence intervals, 37
- congenital cataracts, 112, 113, 115, 130
- congenital convulsive syndrome, 105
- congenital developmental anomalies (CDAs)  
 genetically caused, 73–74  
 plural, 73
- congenital diabetes, 78–79
- congenital infections, 123, 124
- congenital malformations (CMs), 97, 125–134, 132*f*, 321  
 in Belarus, 125–127, 125*t*, 126*t*, 127*t*, 128*t*  
 ear, 112  
 eye, 112, 126  
 genetically caused, 73–74, 125  
 genetic consultations on, 325  
 large, 125  
 prenatal diagnosis of, 325  
 in Russia, 129–130, 130*t*  
 in Ukraine, 127–129, 129*f*, 201, 201*t*, 217, 218*f*
- congenital thyroid cancer, 166
- coniferous forests, 250
- conjunctivitis, 112, 114
- Connecticut, iodine and thyroid cancer in, 174, 175*t*
- “contaminated territories,” xii
- contamination  
 Africa, 8*t*, 16, 25–26, 319  
 aquatic (water), 221, 226–229, 232–233, 259, 285, 322–323

- Arctic regions, 16  
 Asia, 14–15, 18*f*, 25–26, 319  
 Belarus, 7–10, 8*t*, 13*f*–16*f*, 24, 25, 25*t*, 319  
 density of, 5  
 dynamic, long-term nature of, 27  
 ecological features of, 19–21  
 Europe, 6–14, 8*f*, 9*f*, 10*f*, 12*f*, 318–319  
 European Russia, 8*t*, 10, 18*t*, 25, 25*t*, 319  
 fauna, 255–259  
 flora, 237–246  
 food, viii, 289–302, 324–325  
 geographical features of, 5–16, 6*f*, 7*f*, 8*t*  
 global scale of, 318–319, 319*f*  
 human body, 294–300, 324–325  
 hydrometeorological data on, 5–6  
 lead, 24, 43, 43*t*  
 levels of, expression of, xii  
 North America, 8*t*, 15, 18*t*, 25–26, 319, 320  
 Northern Hemisphere, 5, 6*f*, 7*f*, 26  
 overview of, 4–30  
 population affected by, 2, 24–26, 25*t*  
 primary radionuclide emissions, estimates  
   of, 16–18, 19*t*  
 radionuclide dose spectrum changes, 21–24,  
   23*f*  
 secondary, 322  
 soil (ground), 221, 229–233, 285, 316,  
   322–323  
 Southern Hemisphere, 16  
 surface air (atmospheric), 223–226, 227*t*,  
   232–233, 285, 322–323  
 Ukraine, 8*t*, 10, 17*f*, 24, 25, 25*t*, 319  
 uneven/spotty, 19–21, 20*f*, 22*f*–23*f*, 35, 319  
 use of term, xii, 1  
   weak, low, high, and heavy, xii  
*Convallaria majalis*, 240, 241, 242, 242*f*  
 convulsive syndrome, congenital, 105  
 cooking techniques, 303, 316  
 coots, 257  
 COPD. *See* chronic obstructive pulmonary  
   disease  
 copper, for radioprotection, 303–304  
 copper cyanides, 309  
 corn (maize), 239, 250, 250*t*  
 cortisol, 78, 79*t*, 82, 97  
 cortisone, 80  
*Corylus*, 294, 314  
*Corylus avellana*, 243  
 cough, dry, 93, 94  
 cow. *See* cattle  
 cowberry, 240–241, 241*t*, 243, 315  
 cranberries (*Oxycoccus palustris*), 239, 241*t*,  
   242*t*, 290*t*, 315  
 cranial nerve abnormalities, 111  
*Crepis tectorum*, 250  
 Croatia  
   cancer morbidity in, general, 185*t*  
   congenital malformations in, 130, 131*t*  
   contamination of, 11*t*, 231  
   food contamination in, 291, 293*f*, 295*t*  
   mortality in  
     antenatal, 194, 194*f*  
     cancer, 185*t*  
 crustaceans, 268  
*Cryptosporidium* infection, 123, 124, 281  
 Cs-134. *See* cesium-134  
 Cs-135. *See* cesium-135  
 Cs-136. *See* cesium-136  
 Cs-137. *See* cesium-137  
 Curies per square kilometer (Ci/km<sup>2</sup>), xii  
 curium-242 (Cm-242), 19*t*  
 currants, 315, 324  
*Cychorium*, 294  
*Cyprinus carpio*, 264, 265*f*, 267  
 cystitis, 283  
 cytokines, 90  
 cytomegalovirus infection, 123, 281  
 Czech Republic  
   cancer morbidity in, general, 185*t*  
   congenital malformations in, 130  
   contamination of, 11*t*, 233*t*  
   food contamination in, 295*t*  
   mortality in, cancer, 185*t*  
   sex ratio of births in, 101–102, 194  
   thyroid cancer in, 170–172
- ## D
- D25<sup>+</sup> cells, 88  
 Danube River, 268  
 data  
   dismissing, fallacy of, 38  
   falsification of, 33–34, 177, 319  
   inadequate/incomplete, 36

- methodological problems with, 32–41, 318, 319–320
- methods for collecting/analyzing, 38–39, 320
- objective, difficulty in obtaining, 33–36
- scientific protocols and, 36–38, 320
- secrecy/concealment of, 33–35, 177, 319, 325–326
- true radionuclide impact, difficulty in determining, 35–36
- DCE. *See* dyscirculatory encephalopathy
- deaths. *See* mortality
- decontaminants, 304, 309
- decorporants, 304, 309
- decorporation, 303–310, 324
- concern over microelement removal in, 306
  - EKG normalization with, 305–306, 306*t*
  - pectin enterosorbents for, 304–309, 324
  - whole-body retention functions and, 307, 307*f*
- deer, 256*t*, 257, 259*t*, 285, 314–315, 323
- deletions, chromosomal, 65
- dementia, 109, 218
- Denmark
- cancer morbidity in, general, 185*t*
  - congenital malformations in, 130, 131*t*
  - contamination of, 11*t*
    - soil (ground), 231
    - surface air (atmospheric), 225  - human body contamination in, 298
  - mortality in
    - antenatal, 195, 197*f*, 198*t*
    - cancer, 185*t*
  - sex ratio of births in, 102
- de novo* mutations, 73–74, 76
- density of contamination, 5
- dental anomalies, 118, 118*t*, 119–120, 128
- dental caries, 116, 117, 118, 128
- depression, 104, 108
- derived intervention level (DIL), 294
- Dermatiaceae, 282
- dermatitis, 99, 283
- dermatological pathology, 120–122
- dermorphin, 92
- devil's-bit, 249
- dewberries (*Rubus caesius*), 241*t*, 242*t*, 243, 247
- diabetes mellitus, 80
- congenital, 78–79
  - type I, 79, 79*t*
  - type II, 56, 79
- diet, protective, 315–316
- diffraction grating syndrome, 114–115, 218
- digestive system diseases, 116–120, 321
- accelerated aging and, 55
  - in Belarus, 116
  - in Russia, 118–119, 118*t*, 119*t*, 120*f*, 120*t*
  - in Ukraine, 117–118, 117*t*
- DIL. *See* derived intervention level
- direct measurements, 308
- disability, primary
- in Belarus, 44–45, 45*f*
  - in Russia, 49–50, 50*t*
  - in Ukraine, 46–47, 46–48, 47*t*, 48*f*, 48*t*
- disadaptation syndrome, ecological, 44
- disease. *See also specific diseases*
- nonmalignant, viii, 58–160
  - oncological, viii, 161–191
- disk tilling, 312
- “distribution of diseases in territory,” xii
- DNA, satellite, changes in, 73
- DNA repair activity, 68, 72–73
- Dnepr/Dnieper River, 226, 227, 268
- Don River, 226
- dose
- collective, 24, 25*t*, 174, 219
  - effective individual, 316
  - methodological problems in assessing, 34–35, 319
  - “official,” 34
  - reconstructing, difficulties in, 35, 319
- dose spectrum, changes in, 21–24, 23*f*
- Down syndrome, 71–72, 72*f*, 72*t*, 73*f*, 130, 131
- Drosophila melanogaster*, 268, 268*t*
- dry cough, 93, 94
- ducks, 257, 260*t*, 291, 315
- dust, 1, 21, 92–93, 223–226. *See also* “hot particles”
- dyscirculatory encephalopathy (DCE), 64
- dysfunction. *See specific types*
- dyspeptic syndromes, 117
- dyspnoea, 94

**E**

- EAC-POK, 90
- eagles, 285
- early aging syndrome, 321–322
- ear malformations, 112
- earthworms, 264
- ecological disadaptation syndrome, 44
- economic damage, 325
- Edward's syndrome, 72
- EEG. *See* electroencephalogram
- effective individual dose, 316
- eggs, protection measures for, 315
- Egypt, contamination of, 16
- Eimeria cerna*, 282–283, 282*t*
- EKG. *See* electrocardiogram
- electrocardiogram (EKG), decorporation and, 305–306, 306*t*
- electroencephalogram (EEG), 106, 108, 109, 110, 111
- electron paramagnetic resonance (EPR)  
dosimetry, 34, 325
- elk, 285, 293, 294, 314–315, 323
- embryonic hernias, 131
- The Emirates, contamination of, 319, 320
- emotional disorders, 107, 108, 115
- emphysema, 94
- encephalocele, 132
- encephalopathy  
dyscirculatory, 64  
in liquidators, 108, 109–111  
perinatal, 105, 106, 109  
senile, 55–56
- endive, 294
- endobronchial atrophy, 95
- endocolitis, 283
- endocrine system disease, 77–87, 320  
in Belarus, 78–79  
in children of irradiated parents, 75  
data on, review of, 78–83  
in Russia, 80–82  
in Ukraine, 80
- endocrine tumors, in rats, 271, 271*t*
- endometriosis, 97
- England  
contamination of, 6–7, 14  
mortality in  
antenatal, 196*f*  
neonatal, 196*f*  
perinatal, 196*f*, 199  
thyroid cancer in, 172
- Enterobacter*, 282
- enterosorbents, 304–309, 316, 324
- environmental consequences, 221–222, 285–286, 322–324  
aquatic (water), 221, 226–229, 228*t*, 232–233, 259, 285, 322–323  
fauna, 255–279, 285–286, 323  
flora, 237–254, 285–286, 323  
microbial biota, 281–284, 285, 323  
protection measures against, 311–316, 324–325  
soil, 221, 229–233, 233*t*, 285, 316, 322–323  
surface air (atmospheric), 223–226, 227*t*, 232–233, 285, 322–323
- eosinophil(s), 87–88
- eosinophilic cation protein, 88
- eosinophilic protein X, 87–88
- epilepsy, 105
- epileptiform syndromes, 107
- EPR-dosimetry, 34, 325
- Epstein-Barr virus, 283
- Equus caballus*, 263
- erectile dysfunction, 97, 99
- Ericaceae, 243
- erythremia, 178*t*
- erythrocytes, 59, 60–61, 88
- Escherichia*, 282
- Escherichia coli*, 282
- Esox lucius*, 264
- Estonia  
cancer morbidity in, general, 185*t*  
cancer mortality in, 185*t*  
contamination of, 11*t*, 231  
suicide in, 111
- estradiol, 80
- estriol, 78
- estrogen, 99
- Europe. *See also specific countries*  
contamination of, 6–14, 8*f*, 8*t*, 9*f*, 10*f*, 11*t*, 12*f*, 318–319  
“hot particles,” 21  
population affected by, 24–26, 25*t*, 26*t*
- European Russia. *See* Russia; Russia, European

everyday life, protection measures in, 315–316  
 evolution, radioadaptation and, 285–286, 323  
 exclusion zone, 314  
 excretion, of radionuclides, 304–308  
 external radiation, viii  
   and immune system, 90  
   levels of, difficulty in determining, 35  
   and respiratory system, 92  
 exudative diathesis, 121  
 eye(s), 112–116, 321  
   accelerated aging of, 55–56  
   accommodation of, 55, 112, 114  
   in Belarus, 112–113, 113*t*  
   cataracts of, viii, 2, 56, 112–116, 130  
   congenital malformations of, 112, 126,  
     129–130  
   in Russia, 115  
   in Ukraine, 113–115

## F

Fabaceae, 243  
 fallacy, of dismissing radionuclide impact, 38  
 falsification of data, 33–34, 177, 319  
 FAO. *See* Food and Agriculture Organization  
 farms. *See* agriculture  
 fatigue, 106, 107, 111, 218, 321  
 fatty liver, 118  
 fauna, 255–279, 285–286, 323  
   biological changes in, 268–273  
   coefficient of accumulation for, 255–256  
   genetic changes in, 255, 265–268, 268*t*,  
     273, 285–286  
   incorporation of radionuclides, 255–259,  
     273, 323  
   indicator species, 256–257  
   maximum radionuclide concentrations  
     in mammals, 256, 256*t*  
   reproductive abnormalities in, 255,  
     259–265  
   transfer ratio/coefficient for, 255–256  
 FDA. *See* Food and Drug Administration  
 Fe-59. *See* iron-59  
 fecal excretion, of radionuclides, 304–308  
 fermentation-type metabolism, 134  
 fertilizers, as radionuclide antagonists, 312,  
 324

fiber, dietary, 316  
 fibrinogen activity, 61  
 fibrinolytic activity, 61  
 fibromas, uterine, 98  
*Ficedula hypoleuca*, 264  
 fiddleheads, 294  
 field wormwood, 249  
 figs, 294  
 filberts, 294  
 Finland  
   birth rate in, 195  
   cancer morbidity in, general, 185*t*  
   congenital malformations in, 130, 131*t*  
   contamination of, 10, 11*t*, 21, 23, 319  
     aquatic (water), 228, 229*t*  
     surface air (atmospheric), 225, 225*t*  
   food contamination in, 291, 292*f*, 293*t*  
   human body contamination in, 298–299  
   mortality in  
     antenatal, 195, 198*t*  
     cancer, 185*t*  
     infant, 200, 202*f*  
   premature births in, 50  
   sex ratio of births in, 102  
 fires, forest, 314  
 fish  
   biological changes in, 272  
   contamination of, 227–228, 228*t*, 259, 261*f*,  
     261*t*, 323  
   deteriorating health of, 285  
   food contamination, 289, 291, 292*t*, 293,  
     293*f*  
   genetic changes in, 267  
   protection measures for, 315, 316, 324  
   reproductive abnormalities in, 264, 265*f*  
 fisheries, 313–315, 316  
 flies (*Drosophila*), 268, 268*t*  
 flora, 237–254, 285–286, 323  
   anomalies in, 246–248  
   biological changes in, 250  
   genetic changes in, 248–250, 285–286  
   “geobotanical catastrophe” in, 250  
   incorporation of radionuclides, 237–246,  
     323  
   morphological changes in, 246–248, 246*t*  
   mushroom and lichen contamination,  
     244–246, 245*t*

- plant contamination, 237–244
  - tumors in, 247–248
  - Florida, contamination of, 15
  - flounder, 292*f*
  - fluctuating symmetry, 323
  - fluids, for washing away radionuclides, 304, 316
  - folic acid, 305
  - follicle-stimulating hormone (FSH), 82, 99
  - food additives, 303–309, 315
  - food allergies, 91
  - Food and Agriculture Organization (FAO), 304
  - Food and Drug Administration, 293
  - food chain, radionuclide movement to, 35, 221
  - food contamination, viii, 289–302, 295*t*, 324–325
    - agricultural land and, 311–312
    - in Belarus, 289–290, 290*t*, 291*t*, 294–298
    - in Croatia, 291, 293*f*
    - in Finland, 291, 292*f*, 293*t*
    - and human body contamination, 294–300
    - levels of, difficulty in determining, 35
    - monitoring for, 289–294, 300–301, 324
    - permissible levels of, 312–313
    - protection measures against
      - agricultural, 312–313, 312*t*, 316, 324
      - everyday life, 315–316
      - forestry, hunting, and fisheries, 313–315, 316
    - public information on, 309
    - reduction of, 303–304, 312–316, 324
    - seasonal variation in, 295–296
    - in United States, 292–294, 294*t*
  - forest(s)
    - contamination of, 237–244, 250, 266, 311
    - as “live partition wall,” 314
    - protection measures for, 313–315, 316, 324
  - forest fires, 314
  - forestry, 313–315, 316
  - forgetting, admonition against, ix, 326
  - fox, 315
  - fractures, pathological, 103–104
  - Fragaria*, 315
  - Fragaria vesca*, 240–244, 241*t*, 242*f*, 242*t*, 244*t*
  - France
    - cancer morbidity in, general, 185*t*
    - cancer mortality in, 185*t*
    - contamination of, 10–11, 11*t*, 19–21, 170, 172*f*, 319
      - aquatic (water), 228, 229*t*
      - soil (ground), 231
    - food contamination in, 291
    - human body contamination in, 299, 300*f*
    - protection measures in, 316
    - secrecy in, 33
    - thyroid cancer in, 170, 172, 172*f*
  - Frangula alnus*, 242, 242*f*, 243
  - Franz Josef Land, contamination of, 16
  - free radicals, 59, 303–304
  - French white fir, 244
  - frog(s)
    - biological changes in, 271–272, 272*t*
    - genetic changes in, 267, 267*t*, 323
    - incorporation of radionuclides, 258–259, 323
  - frog hybrid complex, 267, 267*t*, 272, 272*t*
  - FSH. *See* follicle-stimulating hormone
  - Fulica atra*, 257
  - Fund for Children of Chernobyl, 306
  - fungi, contamination of, 237, 281–284
- ## G
- galactorrhea (or galactoria), 37, 97
  - gallbladder disease, 117, 119
  - gall formation, on oak, 248
  - gallstones, 117
  - game meat
    - contamination of, 289, 323
    - protection measures for, 313–315, 316
  - gamma contamination, of fauna, 256*t*, 260*t*
  - gaseous-aerosol radionuclides
    - atmospheric contamination by, 223–226
    - geographic distribution of, 6–27, 8*f*, 8*t*
    - and respiratory disease, 92–93
    - stages of cloud formation, 8*f*
  - gases, radioactive, geographic distribution of, 6–27
  - gastritis
    - atrophic, 24, 87
    - chronic, 116, 119
  - gastroduodenitis, 119

- gastroenteric disease, chromosomal aberrations and, 76
- gastrointestinal diseases. *See* digestive system diseases
- gender ratio  
of births, 101–102, 194  
of stillbirths, 195, 196*f*
- general morbidity, 42–54, 218–219, 320  
in Belarus, 42–45, 134  
in adults, 44–45  
in children, 42–44, 43*t*, 44*t*, 133*t*  
in children of irradiated parents, 74–75, 75*t*  
oncological, 162–164, 184–185, 184*t*, 185*t*  
in Belarus, 162–163, 162*t*, 163*f*, 163*t*, 184–185, 184*t*, 185*t*  
in Russia, 164, 164*f*, 184–185, 184*t*, 185*t*  
in Ukraine, 163–164, 183, 184–185, 184*t*, 185*t*  
in Russia, 48–50, 133*t*, 134  
in adults, 49–50, 49*t*, 50*t*, 133*t*, 134  
in children, 48–49, 49*t*  
social, economic, and psychological factors in, 50  
in Ukraine, 45–48, 134  
in adults, 46–48, 47*f*, 47*t*, 48*f*, 48*t*, 134*t*  
in children, 45–46, 45*t*, 46*f*, 47*t*, 133*t*
- general (overall) mortality, 205–211  
in Belarus, 205–206, 206*f*, 207, 209, 218  
calculations of, 207–209, 208*t*, 209*f*  
in Russia, 207–209, 207*t*, 208*t*, 209*f*, 218  
in Ukraine, 206–207, 207*t*, 208, 209, 218
- genetic changes, 65–77, 321  
in fauna, 255, 265–268, 268*t*, 273, 285–286  
in flora, 248–250, 285–286
- genetic consultations, obligatory, 325
- genetic polymorphisms, of proteins, 72–73
- genital anomalies, 97, 98, 100, 129–130
- genomic mutations, 65, 71–72
- “geobotanical catastrophe,” 250
- Georgia (republic)  
congenital malformations in, 130  
contamination of, 14, 319
- German Federal Committee on Ionizing Radiation, 38
- German Federal Office of Radiation Protection, 306
- Germany  
cancer morbidity in, general, 185*t*  
chromosomal aberrations in, 70  
congenital malformations in, 130–131, 131*t*  
contamination of, 11, 11*t*, 21, 231, 232*t*, 319  
Down syndrome in, 71, 73*f*  
food contamination in, 295*t*  
human body contamination in, 299, 300*f*  
leukemia in, 180  
mortality in  
antenatal, 193*f*, 194–195, 197*f*, 198*t*  
cancer, 185*t*  
infant, 199, 200, 202*f*  
perinatal, 194, 195*f*, 198  
protection measures in, 316  
sex ratio of births in, 102
- gestational herpes, 123
- gingivitis, chronic catarrhal, 119
- glaucoma, 115
- glioma, retinal, 181
- global scale, of catastrophe, 318–319, 319*f*
- glucose tolerance, impaired, 79
- glutathione, 61
- glycophorin mutations, 69
- goiter, 78, 83–86  
diffuse, 86  
endemic, 84  
multinode, 79, 84  
single-node, 79, 84
- gold birch, 249
- golden-eye duck, 291
- goldfish, wild, 272, 272*t*
- gonadotropic hormones, 78, 82, 84
- gooseberry, 315
- gosmore, 249
- grain crops  
contamination of, 239–240, 243  
genetic changes in, 248–249, 248*t*  
morphological changes in, 246–247, 248*t*  
phenolic compounds in, 250
- grasses, 239*t*, 240*t*, 241–243, 242*f*, 311
- gray partridge, 260*t*
- Great Britain. *See* United Kingdom
- great tit, 264
- Greece  
birth rate in, 195  
cancer morbidity in, general, 185*t*



contamination of, 11–12, 11*t*, 22*f*–23*f*, 228, 229*t*, 319  
 food contamination in, 295*t*  
 leukemia in, 180–181  
 mortality in  
   antenatal, 193*f*, 198*t*  
   cancer, 185*t*  
   thyroid cancer in, 172, 173*f*  
 green algae, 316  
 green boletus, 245*t*  
 Greenpeace International, x  
*Grossularia*, 315  
 ground contamination. *See* soil contamination  
 group assessment, 34  
 group dosimetry, 34  
 Gruby's disease, 124, 124*t*, 281  
 gum disease, 80, 84, 119  
 gynecologic morbidity, 96–102  
*Gyroporus cyanescens*, 245*t*  
 gyttja, 312

## H

hair anomalies, 55, 121, 128  
 hair moss, 239*t*  
 hare  
   arctic, 256*t*  
   brown, 256*t*, 259*t*  
   hunting of, 315  
 “harelip,” 130  
 Hawaii, contamination of, 15  
 hayfields, 312  
 hazelnuts, 294, 314  
 headaches, 107, 109, 111  
 head malformations, 125, 133  
 health consequences, 320–322. *See also specific countries and disorders*  
 data on  
   dismissing, fallacy of, 38  
   falsification of, 33–34, 177, 319  
   first official forecasts, 32  
   inadequate/incomplete, 36  
   methodological problems with, 32–41, 318, 319–320  
   methods for collecting/analyzing, 38–39, 320  
   objective, difficulty in obtaining, 33–36  
   scientific protocols and, 36–38, 320  
   secrecy/concealment of, 33–35, 177, 319, 325–326  
   true radionuclide impact, difficulty in determining, 35–36  
 obstacles to analyzing, 319–320  
 psychological factors in, 322  
 “Health Effects of Chernobyl: 20 Years after the Reactor Catastrophe,” xi  
 “The Health Effects of the Human Victims of the Chernobyl Catastrophe: Collection of Scientific Articles,” x  
 “health of population,” 48, 217  
 hearing disorders, 56, 112, 113, 115  
 heart  
   Chernobyl, 1, 218, 322  
   contamination of, 299*t*  
   EKG normalization in, decorporation and, 305–306, 306*t*  
   malformations of, 130  
 heart attack, viii, 62  
 heart disease, ischemic, 62–64  
 heavy contamination, xii  
 heavy metal contamination, in Belarus, 24, 43, 43*t*  
 hematological abnormalities  
   in Belarus, 58–59, 59*t*  
   in fauna, 269–270, 269*t*  
 hemoglobin, 60  
 hemorrhagic ulcers, 117  
 hepatic disease, 116–120  
 hepatitis, 116, 281, 321  
   active, 118  
   acute, 116  
   cancer association of, 283  
   chronic, 116, 118, 123  
   infectious, 123  
 hepatitis A, 281  
 hepatitis B, 116, 123, 281  
 hepatitis C, 116, 123, 281  
 hepatitis D, 281  
 hepatitis G, 281  
 herbs, 239*t*, 243, 244, 244*t*, 294  
 hernias, embryonic, 131  
 herpes virus infections, 122, 123, 281, 283  
*Heteroptera*, 272  
*Hieracium murorum*, 247

- Hieracium umbellatum*, 247
- high contamination, xii
- “Highly Irradiated Belarus Children” project, 306
- Hiroshima
- cancer in, 161, 174, 176, 177, 185
  - cognitive effects in, 112
  - genetic impact of, 77
  - radiation comparison with, 1, 5
  - research and secrecy on, 2–3
- Hirundo rustica*. *See* barn swallows
- HLA-DR lymphocytes, 87
- Hodgkin’s disease, in Belarus, 177, 178*t*, 179*t*
- hogs, wild. *See* boars
- honey, 259
- honey mushroom, 245, 245*t*
- Hordeum vulgare* (barley), 243, 247, 248*t*
- hormone(s)
- data on, review of, 78–83
  - imbalance/disorders of, 77–87
  - reproductive, disorders of, 96–97
- horses, 263
- “hot particles,” 6, 12, 21, 221, 237
- influence of, difficulties in calculating, 35, 319
  - and respiratory disease, 92–93
- “hot spots,” 19–21, 20*f*
- house sparrows, 267
- human body
- contamination of, 294–300, 324–325
    - in Belarus, 294–298, 296*t*–297*t*, 297*f*, 298*f*, 299*f*, 299*t*
    - in Germany and France, 299, 300*f*
    - seasonal variation in, 295–296
  - decorporation of, 303–310
- Hungary
- birth rate in, 195
  - cancer morbidity in, general, 185*t*
  - congenital malformations in, 131, 131*t*
  - contamination of, 11*t*, 21, 233*t*
  - low birth weights in, 50
  - mortality in
    - antenatal, 193*f*, 195, 197*f*, 198*t*
    - cancer, 185*t*
  - sex ratio of births in, 102
- hunting, 313–315, 316
- hydrocephalus, 128
- hydrocephaly, 131
- hydrometeorological data, 5–6
- hydrotops, 243
- Hyla*, 258
- Hyloconium splendens*, 239*t*
- Hypericaceae, 243
- Hypericum perforatum*, 241, 242, 242*f*, 243
- hyperprolactinemia, 37, 97
- hyperreflexia, 111
- hypertension, 64
- hyperthyroidism, 80, 83–86
- Hypochoeris radicata*, 249
- hypochondriasis, 108
- hypochromatic anemia, 270
- hypogonadism, 83
- Hypogymnia physodes*, 272
- Hypophthalmichthys molitrix*, 264
- hypophysis (pituitary gland), 77–78, 80, 83
- hypothyroidism, 76, 78, 80, 83–86, 165
- ## I
- I-131. *See* iodine-131
- I-132. *See* iodine-132
- I-133. *See* iodine-133
- I-135. *See* iodine-135
- IAEA. *See* International Atomic Energy Agency
- IARC. *See* International Agency for Research on Cancer
- Iceland
- antenatal mortality in, 195, 197*f*, 198*t*
  - contamination of, 319
- Idaho, contamination of, 15, 18*t*
- immune system diseases, 87–92, 320
- in Belarus, 87–89, 89*t*
  - in children of irradiated children, 75
  - in Russia, 90–92
  - in Ukraine, 89–90
- immune system stimulation, 304
- immunoglobulin(s), 87–90
- IgA, 87–90
  - IgE, 88, 89
  - IgG, 87–90
  - IgM, 87–90
  - in mother’s milk, 88–89
- impotence, 97, 99

- incipient chestnut syndrome, 115, 218
- incorporated long-living radionuclides, 217–218, 321
- incorporation of radionuclides  
 in fauna, 255–257, 273, 323  
 in flora, 237–246, 323  
 in human body, 294–300  
 in human organs, variations in, 297, 299*t*
- indicator species, 256–257
- individual dose, effective, 316
- individual radiation counter (IRC), 294–295, 296*t*–297*t*, 300
- infant mortality, 196–197, 199–201, 199*t*  
 in Belarus, 42, 200, 201*f*  
 in Finland, 200, 202*f*  
 in Germany, 199, 200, 202*f*  
 in Poland, 200, 202*f*  
 in Russia, 183, 197, 200, 201*f*, 201*t*  
 in Sweden, 200–201, 203*f*  
 in Switzerland, 201, 203*f*  
 in Ukraine, 199, 200, 201*f*, 201*t*
- infection(s), 122–125, 321. *See also specific types*  
 in Belarus, 122–123  
 in children of irradiated parents, 75  
 chromosomal aberrations and, 76  
 congenital, 123, 124  
 genetic polymorphisms of proteins and, 72  
 immune system disease and, 87–92  
 microbial contamination and, 281–284  
 in Russia, 124, 124*t*  
 in Ukraine, 123–124
- infertility  
 female, 80, 81, 97  
 male, 97  
 in Russian liquidators, 100
- influenza, 283
- infusoria species, 283
- in utero* exposure, 218, 321  
 and chromosomal aberrations, 67, 68, 69, 75  
 and congenital malformations, 128, 132  
 and digestive system diseases, 117, 118  
 and endocrine disease, 87  
 and female infertility, 80  
 and general morbidity, 43, 74  
 and genetic polymorphisms of proteins, 72  
 and immune deficiency, 89, 91  
 and infectious disease, 124  
 and leukemia, 180–181  
 and nervous system diseases, 106, 106*t*, 109, 112  
 and premature birth, 195  
 and respiratory disease, 93  
 and sex ratio in births, 102  
 and thyroid disease, 84, 85
- insects  
 biological changes in, 272, 272*t*  
 genetic changes in, 267–268, 286
- insertions, chromosomal, 65
- insulin, 79, 79*t*, 80
- intellectual development, 83, 106–107, 109, 112
- intelligence quotient (IQ), 106–107, 106*f*, 112
- interferon, 87, 90
- internal radiation, viii  
 and immune system, 90  
 levels of, difficulty in determining, 35
- International Agency for Research on Cancer (IARC), 161
- International Atomic Energy Agency (IAEA)  
 The Chernobyl Forum, x, xi, 1, 32, 104, 209, 322  
 chromosomal linkage denied by, 75–76  
 collective dose estimation by, 24  
 data requirements/errors of, 36  
 early predictions by, 322  
 pectin endosorbents tests of, 304
- international help, 308–309
- Internet resources, xi
- intestinal cancer, 182
- intestinal diseases, chronic, 283
- Introduction into Population Phenetics* (Yablokov), 36
- invalidism  
 in Belarus, 44–45, 45*f*  
 in Russia, 49–50, 50*t*  
 in Ukraine, 46–48, 47*t*, 48*f*, 48*t*
- inversions, chromosomal, 65
- involutional cataracts, 114
- iodine, supplementation of, 303–304, 325
- iodine-129 (I-129), 174–176
- iodine-131 (I-131)  
 contamination  
 aquatic (water), 227, 228–229, 228*t*, 229*t*

Belarus, 7, 13*f*  
 Connecticut, 174, 175*t*  
 dose spectrum changes, 23  
 Europe, 6–7  
 flora, 239*t*  
 food, 291, 293, 294*t*, 295*t*  
 France, 170, 172*f*  
 “hot particles,” 21, 92  
 human body, 300  
 North America, 15, 18*t*  
 Scotland, 12  
 soil (ground), 231, 232, 232*t*, 233*t*  
 surface air (atmospheric), 224, 224*t*, 225, 225*t*, 226, 226*t*, 227*t*  
 Sweden, 12  
 health effects  
   thyroid cancer, 170, 174, 175*t*  
   thyroid disease, 83  
 iodine-132 (I-132) contamination  
   aquatic (water), 228–229, 229*t*  
   Belarus, 7, 13*f*  
   Europe, 6  
   Scotland, 12  
   soil (ground), 231, 232, 232*t*  
   surface air (atmospheric), 226  
 iodine-133 (I-133)  
   dose of, difficulty in reconstructing, 35  
   dose spectrum changes in, 23  
   primary emissions of, 19*t*  
   surface air contamination, 225*t*  
 iodine-135 (I-135)  
   dose of, difficulty in reconstructing, 35  
   primary emissions of, 19*t*  
 “iodine” period, 77  
 ion-exchange resins, 304  
 IQ. *See* intelligence quotient  
 Iran, contamination of, 15, 320  
 Iraq, contamination of, 15  
 IRC. *See* individual radiation counter  
 Ireland  
   cancer morbidity in, general, 185*t*  
   cancer mortality in, 185*t*  
   contamination of, 11*t*, 231  
 iron  
   for decorporation, 304, 309  
   supplement, with decorporation, 305  
 iron-59 (Fe-59), 15, 225

iron-deficient anemia, 59  
 irradiation *in utero*, 218. *See also in utero* exposure  
 ischemic disease, viii, 62–64, 283  
 Israel  
   sense organ diseases in, 115  
   thyroid cancer in, 172–173  
 Italy  
   birth rate in, 195  
   cancer morbidity in, general, 185*t*  
   contamination of, 11*t*, 12, 231, 319  
   food contamination in, 292, 295*t*  
   human body contamination in, 299  
   mortality in  
   antenatal, 198*t*  
   cancer, 185*t*  
   thyroid cancer in, 173

## J

Japan  
   contamination of, 14  
   soil (ground), 231  
   surface air (atmospheric), 225–226  
   food contamination in, 295*t*  
   human body contamination in, 299  
 “jellyfish children,” 102  
 joint pain, 102, 111  
 juniper, 294

## K

K. *See* potassium  
 Kaposi’s sarcoma, 283  
 Kennedy, John F., 326  
 kidney cancer, 182, 184, 184*t*  
 kidney disorders, 96, 98, 101  
 kidney infections, 98, 101, 124, 283  
 kidney stones, 98  
*Klebsiella*, 282  
 Klinefelter (or Kleinfelter) syndrome, 72  
 krypton-85 (Kr-85), 19*t*

## L

La-140. *See* lanthanum-140  
*Lactarium*, 291  
*Lactarius necator*, 245, 245*t*

- lactation  
 in elderly women, 37, 97  
 immunoglobulins in, 88–89
- lakes, 226–229
- Lamiaceae, 243
- lanthanum-140 (La-140)  
 contamination, 15  
 aquatic (water), 228–229, 229*t*  
 flora, 238*t*  
 soil (ground), 232  
 surface air (atmospheric), 225, 226  
 uneven/spotty, 21  
 “hot particles,” 21  
 primary emissions of, 19*t*
- large granular lymphocytic leukemia, 179
- laryngeal diseases, chronic, 74
- laryngeal tumors, 184
- Latvia  
 cancer morbidity in, general, 185*t*  
 contamination of, 11*t*, 226  
 mortality in  
 antenatal, 195, 197*f*  
 cancer, 185*t*
- laurel leaves, 294
- LCRCs. *See* local centers for radiation control
- lead contamination, 24, 43, 43*t*
- Leccinum scabrum*, 245*t*
- legs  
 blood supply to, 62  
 Chernobyl, 218
- Leguminosae, 244
- lens, 112–116  
 cataracts of, viii, 2, 56, 112–116, 130  
 clouding of, 112  
 opacities of, 113, 113*f*, 113*t*
- Lens*, 294
- lentils, 294
- Leontodon autumnalis*, 249
- Lepus europeus*, 256*t*, 259*t*
- Lepus timidus*, 256*t*
- leu-enkephalin, 92
- leukemia, 177–181, 321  
 in Belarus, 177–178, 177*t*, 178*t*  
 predictions for, 181, 181*t*, 184*t*  
 in Russia, 179–180, 181*t*  
 time until clinically apparent, 161  
 in Ukraine, 178–179, 179*f*, 179*t*, 180*t*
- leukocytes, 59, 60–61, 90. *See also* lymphocytes
- leukosis. *See* leukemia
- “level of radiation and effect,” 36
- LH. *See* luteinizing hormone
- lichens, contamination of, 237–238, 244–246, 245*t*
- life expectancy, 193, 193*f*, 205, 206, 322
- lignin, 324
- limb malformations, 125, 126, 128, 130, 131, 132*f*, 133
- limb-reduction defects, 126, 130
- limbs, Chernobyl, 322
- lime fertilizers, 312
- lingering radiation illness, 218, 321
- lipid oxidation, 59
- liquid(s), for washing away radionuclides, 304, 316
- liquidators  
 accelerated aging in, 55–56  
 adventurism and heroism of, 1  
 blood and blood-forming organ disease in  
 in Belarus, 58–59  
 in Russia, 60–61, 61*t*  
 bone and muscle diseases in, in Russia, 103–104, 104*t*  
 cancer morbidity in, general  
 in Belarus, 162–163, 163*t*  
 in Ukraine, 164, 183  
 cardiovascular disease in  
 in Belarus, 62  
 in Russia, 63–64, 63*t*  
 in Ukraine, 63  
 catastrophic state of health, 321  
 children of, viii, 74–75, 74*t*  
 chromosomal aberrations in, 67, 68, 75  
 congenital anomalies/malformations in, 74, 74*f*, 128, 130  
 endocrine disease in, 81, 81*f*  
 general morbidity of, 74–75, 75*t*  
 immune status of, 89, 91  
 chromosomal aberrations in, 76  
 in Belarus, 66, 66*t*  
 in Russia, 69–70, 70*f*, 70*t*, 71*t*  
 in Ukraine, 67–68  
 concealment and falsification of data on, 33–35  
 digestive system/visceral organ diseases in

- in Belarus, 116
- in Russia, 118–119, 120*t*
- in Ukraine, 117–118, 117*t*
- endocrine system disease in
  - in Belarus, 79, 79*t*
  - in Russia, 81–82, 82*t*, 83*t*
  - in Ukraine, 80
- general morbidity of, 50
  - in Belarus, 44–45
  - in Lithuania, 50
  - in Russia, 49–50, 49*t*, 50*t*, 133*t*, 134
  - in Ukraine, 47–48, 48*f*
- group dosimetry of, 34
- immune system disease in
  - in Belarus, 89, 89*t*
  - in Russia, 91–92
  - in Ukraine, 90
- infections and parasitic infestations in
  - in Belarus, 123
  - in Russia, 124
- Internet resources on, xi
- leukemia in
  - in Russia, 180
  - in Ukraine, 179
- life expectancy of, 205
- mortality of, 201–205
  - in Belarus, 201–203
  - in Russia, 201–205, 204*f*, 205*t*, 206*t*
  - in Ukraine, 201–203, 204*f*
- nervous system diseases in
  - in Belarus, 106
  - in Russia, 109–111, 110*t*
  - in Ukraine, 107–109
- number of, 1, 33
- population affected by contamination, 26*t*
- respiratory system disease in, 92–96
  - in Russia, 95–96, 96*t*
  - in Ukraine, 94–95, 94*f*
- sense organ diseases in
  - in Belarus, 113
  - in Russia, 115
  - in Ukraine, 114–115
- skin diseases in, 121–122, 123*t*
- thyroid cancer in, 168
- thyroid disease in
  - in Belarus, 84, 84*t*
  - in Ukraine, 85–86
- urogenital/reproductive disease in
  - in Russia, 100–101, 101*f*, 101*t*
  - in Ukraine, 99
- Liquidators Registry, 34
- “liquid hot particles,” 21
- Lithuania
  - cancer morbidity in, general, 185*t*
  - contamination of, 11*t*, 226
  - liquidator health in, 50
  - mortality in, cancer, 185*t*
  - suicide in, 111
- little shrew, 256*t*
- liver contamination, 299*t*
- liver disease, 116–120
- local centers for radiation control (LCRCs), 289–290
- low birth weight, 43, 45–46, 49–50, 50*f*, 74, 199*t*
- low contamination, xii
- low linear-energy-transfer of radiation (low-LET radiation), 67
- Lugini District, Ukraine, 217–218
- lung(s), 92
  - elasticity of, 92
  - restrictive disease of, 92
  - scarring of, 95
- lung cancer, viii, 181–184
  - in Belarus, 181, 182
  - in Russia, 183
  - time until clinically apparent, 161
- lung metastases, 166
- lupine varieties, 239, 243
- Lupinus*, 239
- Lupinus luteus*, 243
- Lupus lupus* (wolves), 263, 285, 315
- luteinizing hormone (LH), 82
- luteotrophin, 80
- Luxembourg
  - cancer morbidity in, general, 185*t*
  - cancer mortality in, 185*t*
  - contamination of, 11*t*
- lymphadenopathies, 72, 89
- lymphatic disease, 58–65, 87
- lymph node metastases, 166
- lymph nodes, 61, 87
- lymphocytes

analysis, for chromosomal aberrations, 65–71  
 disorders of, 59, 60–61, 87–92  
 lymphoid cancer  
   in Belarus, 177, 177*f*, 178*t*, 179*t*  
   in Russia, 179–180  
   in Ukraine, 179*f*, 180*t*  
 lymphoma  
   in Belarus, 177, 178*t*, 179*t*  
   in Russia, 179–180  
   in Ukraine, 179*f*, 180*t*  
 lymphopoiesis, 61, 61*t*  
 lymphosarcoma, 179  
 lymphotoxemia, 121

## M

macular degeneration, 114  
 Maine, contamination of, 18*t*  
 maize, 239, 250, 250*t*  
 malformations, congenital. *See* congenital malformations  
 malignant disease. *See* cancer  
 mallard ducks, 257, 260*t*  
 mammals  
   biological changes in, 268–271  
   deteriorating health of, 255, 285  
   genetic changes in, 265–266, 285–286  
   incorporation of radionuclides, 255–257, 323  
   indicator species, 256–257  
   maximum radionuclide concentrations in, 256, 256*t*  
   reproductive abnormalities in, 259–263  
 manganese-54 (Mn-54), 15, 225  
 maxillofacial malformations, 72, 128, 130–131  
 measurements, direct, 308  
 meat  
   contamination of, 289–293, 290*t*, 292*f*, 323  
   protection measures for, 312–313, 313*t*, 315, 316  
 Medetopect, 305  
 medical abortions, 97, 195, 325  
 melanoma, 183  
 memory impairment, 105, 108, 109, 111  
 menopause, 99  
 menstrual cycle, 78, 79, 80, 81, 84, 97, 98  
 mental health, 104–112  
 metabolic syndrome X (MSX), 107  
 metabolism, anoxic, fermentation-type, 134  
 methionine-enkephalin, 92  
 Mexico, food contamination in, 292  
 mice  
   biological changes in, 269–270, 270*t*  
   contamination of, 256–257, 256*t*  
   genetic changes in, 265–266, 266*t*  
   incorporation of radionuclides in, 256–257  
   reproductive abnormalities in, 260–262  
 microbial biota, 281–284, 285, 323  
 microevolution, 285–286, 323  
 microfungi, 281–284  
 micronuclei, 66, 66*t*, 76, 267  
 microorganisms, contamination of, 281–284, 323  
 microphthalmia, 112  
*Microsporium*, 124, 281  
 migraine headaches, 107  
 milk  
   allergy to, 88  
   contamination of, viii, 35, 174, 175*t*  
     in Belarus, 290, 290*t*, 291*t*  
     in Finland, 291, 292*f*  
     in Italy, 292  
     in Mexico, 292  
     in Poland, 292  
   protection measures against, 312–313, 316, 324  
   reduction of, 309  
   in United Kingdom, 291  
   in United States, 294, 294*t*  
   decorporation of, 303  
   mother's, immunoglobulins in, 88–89  
   production, in elderly women, 37, 97  
 milk thistle, 247  
 Mills's canon, 50  
 miscarriages, 73–74, 192–196, 198*t*  
   in Belarus, 43, 97  
   in Iceland, 195, 197*f*, 198*t*  
   in Russia, 49, 100, 101*f*, 193  
   in Ukraine, 99, 193  
 mites, 272  
 Mitterand's Fund, 306  
 Mo-99. *See* molybdenum-99

## Moldova

- cancer morbidity in, general, 185*t*
  - congenital malformations in, 131
  - contamination of, 11*t*
  - mortality in, cancer, 185*t*
- mollusks, contamination of, 227, 228*t*
- molybdenum-99 (Mo-99)
- primary emissions of, 19*t*
  - surface air contamination, 225*t*
- monitoring
- agricultural, 312–313
  - direct measurements for, 308
  - food, 289–294, 300–301, 324
  - human body, 294–300, 300–301, 325
  - inadequacy of, 300
  - independent system of, need for, 300–301
  - whole body counting, 305–306, 308, 325
- moor frog, 259, 267, 271–272
- moose, 256*t*, 257, 259*f*, 259*t*, 292
- morbidity. *See also specific types*
- data on
    - falsification and concealment of, 33–36
    - methodological problems with, 32–41
  - general, 42–54, 218–219, 320
    - in Belarus, 42–45, 133*t*, 134
    - in children of irradiated parents, 74–75, 75*t*
    - oncological, 162–164, 184–185, 184*t*, 185*t*
    - in Russia, 48–50
    - in Ukraine, 45–48, 133*t*, 134, 134*t*
- mortality, 192–216. *See also specific types*
- antenatal, 102, 103*t*, 192–196
  - cancer, 184–185, 184*t*, 185*t*, 206–207, 208*t*, 209
  - childhood, 196, 201
  - infant, 183, 196–197, 199–201, 199*t*
  - liquidator, 201–205
  - neonatal, 196–197
  - overall (general), 205–211
    - in Belarus, 205–206, 207, 218
    - calculations of, 207–209, 208*t*, 209*f*
    - in Russia, 207–209, 207*t*, 208*t*, 209*f*, 218
    - in Ukraine, 206–207, 207*t*, 208, 209, 218
  - perinatal, 194, 195, 196–199
  - standardized ratio of, 204, 204*f*, 207–209, 208*t*, 209*f*
  - total number of extra deaths, 209, 210*t*, 322
  - total number of victims, 32, 209–211, 322
- moss, 239*t*
- motley silver carp, 264
- mountain ash (*Sorbus aucuparia*), 241*t*, 242*t*, 243, 315
- mouse. *See mice*
- MPO. *See myeloperoxidase*
- MSX. *See metabolic syndrome X*
- MTA. *See myelotoxic activity of the blood*
- Mucorhiemalis*, 282
- Muctdinaceae, 282
- multiple myeloma, 178*t*, 179, 179*t*
- multiple sclerosis, myelotoxic activity of blood in, 59
- mung, 250*t*
- muscle diseases, 102–104, 320–321
  - in Russia, 103–104, 103*t*, 104*t*
  - in Ukraine, 102–103
- mushrooms
- changes in, 250
  - contamination of, viii, 237–238, 244–246, 245*t*, 290–294, 290*t*
  - decorporation of, 303
  - protection measures for, 314, 315, 324
  - transfer ratio/coefficient for, 245, 245*t*
- Mus musculus*, 260, 261–262, 265–266, 266*t*, 269–270
- mutations
- chromosomal, 65–71, 75–76
  - de novo*, 73–74, 76
  - fauna, 265–268, 273, 323
  - flora, 248–250, 248*t*, 249*t*, 323
  - frequency of, changes in, 65–72
  - genomic, 65, 71–72
  - as indicators of health status, 75–76
  - small (point), 65
- mutton, 315
- Mycelis muralis*, 249
- mycelium, 304
- myelodysplastic syndrome, 59, 177, 178*t*
- myeloperoxidase (MPO), 91
- myelotoxic activity of the blood (MTA), 59
- myomas, 69, 69*t*, 76
- myopia, 114
- myxedema, 83



## N

- Nagasaki  
 cancer in, 161, 174, 176, 177, 185  
 cognitive effects in, 112  
 genetic impact of, 77  
 radiation comparison with, 1, 5  
 research and secrecy on, 2–3
- narrow-leaved cat's tail, 240*t*
- nasal cavity, 92
- nasopharyngeal disease, viii, 92–96
- National Belarussian Report (2006). Twenty Years after the Chernobyl Catastrophe: Consequences in Belarus and Overcoming the Obstacles, xi
- National Russian Report (2006). Twenty Years of Chernobyl Catastrophe: Results and Perspective on Efforts to Overcome Its Consequences in Russia, xi
- National Ukrainian Report (2006). Twenty Years of Chernobyl Catastrophe: Future Outlook, xi
- natural killer cells, 91
- natural selection, 285–286
- Nb-95. *See* niobium-95
- Nd-147. *See* neodymium-147
- Neman River, 226
- nematodes, 272, 273*t*
- neodymium-147 (Nd-147), 225*t*
- neonatal mortality, 196–197  
 in Ukraine, 197, 200*f*  
 in United Kingdom, 196*f*
- neptunium-239 (Np-239)  
 dose spectrum changes in, 23  
 primary emissions of, 19*t*  
 surface air contamination by, 225, 225*t*
- nervous system diseases, 104–112, 321  
 in Belarus, 105–106  
 in Russia, 109–111, 109*t*, 110*t*  
 in Ukraine, 106–109, 106*f*, 106*t*, 107*t*
- nervous system malformations, 128, 129–130
- The Netherlands  
 cancer morbidity in, general, 185*t*  
 cancer mortality in, 185*t*  
 contamination of, 11*t*, 228–229
- nettle rash, 92
- neural tube defects, 131*t*, 132
- neurocirculatory dystonia, 64, 110
- neurologic diseases, 104–112
- neuroses, 108
- neutrophils, 88–92
- newborns  
 bone and muscle diseases in, 102–104  
 cardiovascular disease in, 62, 63  
 congenital malformations in. *See* congenital malformations  
 deaths of. *See* infant mortality  
 premature, 42, 43, 50, 98, 99, 195  
 respiratory difficulties in, 93, 95, 98
- New Jersey, contamination of, 15, 18*t*
- New York, contamination of, 15, 18*t*
- Ni-95. *See* nickel-95
- nickel-95 (Ni-95)  
 aquatic contamination by, 228*t*  
 dose spectrum changes in, 23
- Nile River, contamination of, 16
- niobium-95 (Nb-95), 15, 238*t*, 245*t*, 260*t*
- NK cells. *See* natural killer cells
- nodular goiter, 83
- non-Hodgkin's lymphoma  
 in Belarus, 177, 178*t*, 179*t*  
 in Russia, 179–180
- nonmalignant disease, viii, 58–160  
 blood and lymphatic system, 58–65  
 bone and muscle, 102–104  
 cardiovascular, 61–65  
 congenital malformations, 125–134  
 digestive system and visceral organ, 116–120  
 endocrine, 77–87  
 genetic changes, 65–77  
 immune system, 87–92  
 infections and parasitic infestations, 122–125  
 nervous system, 104–112  
 respiratory system, 92–96  
 sense organ, 112–116  
 skin, 120–122  
 thyroid, 83–86  
 urogenital and reproductive, 96–102
- nonstable aberrations, 65, 68, 69, 70*f*
- noodles, contamination of, 292
- North America, contamination of, 15, 25–26, 319, 320

Northern Africa, contamination of, 16  
 Northern Hemisphere, contamination of, 5,  
 6*f*, 7*f*, 26  
 North Sea, 228  
 Norway  
   cancer morbidity in, general, 185*t*  
   cataracts in, 115  
   chromosomal aberrations in, 71  
   congenital malformations in, 131  
   contamination of, 11*t*, 319  
     aquatic, 261*f*  
     soil (ground), 231, 232*t*  
   effective individual dose in, 316  
   food contamination in, 293, 316  
   mortality in  
     antenatal, 195, 197*f*, 198*t*  
     cancer, 185*t*  
   protection measures in, 316  
   sex ratio of births in, 102  
 Np-239. *See* neptunium-239  
 nuclear power  
   apologists for, vii–ix, 325–326  
   wariness about, vii

## O

oak, 248, 249  
 oats, 243  
 obesity, 80  
 Occam's Razor, 50  
 oilseed rape mosaic virus, 282  
 oligochaeta (or oligochaete), 264–265  
 oligohydramnios, 98  
 oncological disease, viii, 161–191. *See also*  
   cancer  
 onions, chromosomal aberrations in, 249, 249*t*  
 oral cancer, 183, 184, 184*t*  
 orchitis, autoimmune, 101  
 oregano, 294  
 Oregon, contamination of, 15, 18*t*  
 oribatid mites, 272  
*Origanum vulgare*, 241, 243  
 osteoarthritis, 87  
 osteochondrosis, 87, 103  
 osteopenia, 321  
 osteoporosis, 102–104, 321

otitis, 91  
 otter scats, 256*t*  
 ovarian cysts, 98  
 ovarian hypofunction, 193  
 ovaries, 77, 82–83, 96, 97  
*Ovis ammon*, 256*t*  
 ovum abnormalities, 192  
*Oxycoccus palustris* (cranberries), 239, 241*t*, 242*t*,  
 290*t*, 315

## P

Pacific Ocean, 226  
*Paecilomyces lilacinus*, 282  
 pancreas, 77, 299*t*  
   diseases of, 117, 119  
   echogram abnormalities of, 117, 117*t*  
 pancreatic cancer, 182  
 pancreatitis, 117, 119  
 panic disorder, 108  
 papilloma virus, 283  
 parasitic infestations, 122–125, 321  
   in Belarus, 122–123  
   in Russia, 124, 124*t*  
   in Ukraine, 123–124  
 parathyroid gland, 77, 83  
 parathyroid hormone (PTH), 80  
 particles, hot. *See* “hot particles”  
 partridge, gray, 260*t*  
*Parus major*, 264  
*Passer domestica*, 267  
 pasta, 294  
 Patau syndrome, 72  
 pea family, 244  
 pectin enterosorbents, 304–309, 316, 324  
*Pelobates fuscus*, 258  
 peptic ulcer, 117  
*Perca fluviatilis*, 259  
 perch (fish), 259, 315  
*Perdix perdix*, 260*t*  
 perinatal encephalopathy, 105, 106, 109  
 perinatal mortality, 196–199  
   in Belarus, 197, 199*f*  
   in Germany, 194, 195*f*, 198  
   in Poland, 198–199  
   in Russia, 197  
   in Ukraine, 197, 200*f*

- in United Kingdom, 195, 196*f*, 199
- periodontal disease, 80, 84, 104, 118, 119
- permissible levels, of food contamination, 312–313
- Persian Gulf, contamination of, 15
- personality disorders, 107
- Peyer's patches, 87
- pharyngeal cancer, 183, 184*t*
- Phaseolus aureus*, 250*t*
- phenolic compounds, in plants, 250
- phobia, radiation, viii, 322
- Phoenicurus ochruros*, 267
- phosphoric fertilizers, 312
- Phragmites communis*, 240*t*
- Physicians of the World for the Prevention of Nuclear War, 23–24
- phytophagous fish, 315
- Picea abies*, 246, 247*f*, 247*t*
- pie flycatcher, 264
- pike (fish), 264, 315
- pine(s)
  - contamination of, 237–242, 239*t*, 240*f*, 241*f*, 243*f*
  - as food supplement, 304
  - genetic changes in, 249
  - morphological changes in, 246, 247*f*, 247*t*
- Pinus silvestris*, 239, 240*f*, 241, 242, 243*f*, 246, 247*f*, 247*t*
- pituitary gland, 77–78, 80, 83
- placenta
  - changes/abnormalities in, 99, 102
  - radionuclide concentrations in, 102, 103*t*
- plaice, 292*f*
- plankton, 227, 259, 262*t*
- plant(s)
  - anomalies in, 246–248
  - anthocyanin concentrations in, 250, 250*t*
  - biological changes in, 250
  - coefficient of accumulation in, 237
  - contamination of, 237–244, 323
    - aquatic, 227, 228*t*, 238, 240*t*
    - in Finland, 238, 239*t*
    - level of soil contamination and, 240, 241*f*
    - in Russia, 238*f*, 239, 240*f*
    - in Ukraine, 238, 238*t*
    - worldwide levels of, 238, 239*t*
  - deteriorating health of, 285, 323
  - genetic changes in, 248–250, 248*t*, 249*t*, 285–286
  - morphological changes in, 246–248, 246*t*
  - transfer ratio/coefficient in, 240–243, 241*t*, 242*f*, 243*f*, 243*t*
- Plantago lanceolata*, 247, 249
- Plantago major*, 238*f*
- plantains, 238*f*, 247, 249
- platelets (thrombocytes), 60–61, 87
- Platichthys flesus*, 292*f*
- Platyhelminth, 268
- Pleuronectes platessa*, 292*f*
- plowing, 312
- plural CDAs, 73
- plutonium (Pu)
  - bioaccumulation of, 285
  - contamination, 233
    - aquatic (water), 227, 228*t*
    - Belarus, 9, 16*f*
    - dose spectrum changes, 23
    - Europe, 6
    - fauna, 257
    - flora, 243–244
    - food, 294
    - “hot particles,” 21
    - human body, 298
    - with multiple radionuclides, 35
    - soil (ground), 323
    - Ukraine, 17*f*
  - decorporation of, 304
  - health effects
    - endocrine, 80
    - genetic, 65, 77
    - sexual development, 98
  - protection measures against, 315–316
- plutonium-238 (Pu-238)
  - contamination
    - Belarus, 9
    - fauna, 256*t*
    - flora, 243–244
    - surface air (atmospheric), 226
  - primary emissions of, 19*t*
- plutonium-239 (Pu-239)
  - contamination
    - Africa, 16
    - aquatic (water), 229
    - Belarus, 9

- fauna, 256*t*
- flora, 243–244
- soil (ground), 231*t*
- surface air (atmospheric), 224, 225*f*, 226, 227*t*
- half-life of, 18
- primary emissions of, 18, 19*t*
- plutonium-240 (Pu-240)
  - contamination
    - Africa, 16
    - aquatic (water), 229
    - Belarus, 9
    - fauna, 256*t*
    - flora, 243–244
    - soil (ground), 231*t*
    - surface air (atmospheric), 224, 225*f*, 226, 227*t*
    - primary emissions, 19*t*
- plutonium-241 (Pu-241)
  - Am-241 from disintegration of, 24
  - and cancer, 184
  - mortality effects of, 210
  - primary emissions of, 19*t*
- Pneumocystis*, 124, 281
- pneumonia, 91, 95
- point mutations, 65, 73
- Poland
  - cancer morbidity in, general, 164, 185*t*
  - contamination of, 11*t*, 12, 21
    - aquatic (water), 229
    - soil (ground), 231, 232*t*, 233*t*
  - food contamination in, 292
  - mortality in
    - antenatal, 193*f*, 195, 197*f*, 198*t*
    - cancer, 185*t*
    - infant, 200, 202*f*
    - perinatal, 198–199
  - sex ratio of births in, 102
  - thyroid cancer in, 173
  - thyroid disease in, 86
- Polish mushroom, 245*t*
- pollen anomalies, 246–247, 248*t*, 249–250, 323
- pollen sensitivity, 88, 91
- polydactyly, 72, 73, 126, 128
- Polygonum hydropiper*, 241
- polymorbidity, 218, 321
- polyneuropathy, 110
- pond cultures, 315
- Populus tremula*, 238*f*
- pork, 315
- posttraumatic stress disorder (PTSD), 107
- Potamogeton natans*, 240*t*
- potassium
  - as radionuclide antagonist, 312, 315–316, 324
  - supplement, with decorporation, 305
- potassium iodine, 325
- potatoes, viii
- poultry, 255, 315
- “practically healthy” children, viii, 42, 45, 46*f*, 74, 88
- preeclampsia (or preclampsia), 99
- pregnancy
  - complications of, viii, 96–102, 283
  - congenital malformations in. *See* congenital malformations
  - hormone levels in, 78
  - immune function in, 91
  - infections in, 122–123
  - in utero* exposure in. *See in utero* exposure
  - outcomes of. *See* infant mortality; perinatal mortality; spontaneous abortions; stillbirths
  - thyroid dysfunction in, 84
  - vitamin A levels in, 134
- preleukemic conditions, 59
- premature aging, 55–57, 321–322
- premature baldness, 55, 121, 128
- premature births, 42, 43, 50, 98, 99, 195
- premature eruption of teeth, 117
- prenatal diagnosis, 325
- presbyopia, 56
- primary disability
  - in Belarus, 44–45, 45*f*
  - in Russia, 49–50, 50*t*
  - in Ukraine, 46–48, 47*t*, 48*t*
- primary radionuclide emissions, estimates of, 16–18, 19*t*
- Pripyat River, 226–227, 227–228, 283
- probability approach, 37
- progeroid syndrome, 56
- progesterone, 78, 79, 79*t*, 80, 97
- prolactin, 37, 79–82, 79*t*, 97, 99

pro-oxidation conditions, 134  
 prostate cancer, 183, 206–207  
 prostatic adenoma, 99  
 protection measures, 324–325  
   agricultural, 311–313, 312*t*, 313*t*, 316, 324  
   decorporation of radionuclides, 303–310  
   everyday life, 315–316  
   forestry, hunting, and fisheries, 313–315, 316  
 proteins, genetic polymorphisms of, 72–73  
 protozoa, 281–284  
 psychological problems  
   and health consequences, 322  
   thyroid dysfunction and, 85  
 PTH. *See* parathyroid hormone  
 PTSD. *See* posttraumatic stress disorder  
 Pu. *See* plutonium  
 puberty, onset of, 77, 78, 80, 96, 97, 98  
*Puccinia graminis*, 250  
 puerperal sepsis, 122  
 pyelonephritis, 98, 101, 283

## Q

*Quercus*, 248  
 quercus bark, 243  
*Quercus robur*, 249  
*Querquedula crecca*, 257  
*Querquedula querauedula*, 257

## R

rabies, 282  
*Racomitrium*, 16  
 “radiation in utero,” 322. *See also* *in utero*  
   exposure  
 radiation protection  
   agricultural, 312–313, 312*t*, 313*t*, 316  
   allocation of funds for, 289  
   decorporation of radionuclides, 303–310  
   everyday life, 315–316  
   forestry, hunting, and fisheries, 313–315, 316  
 radiation sickness, acute, viii  
 radicals, free, 59, 303–304  
 radioactive contamination. *See* contamination  
 radioadaptation, 285–286, 323  
 radiobiology, modern concepts of, vii  
 radiomorphosis, 246  
 radionuclides. *See also specific types*  
   changes in dose spectrum, 21–24, 23*f*  
   decorporation of, 303–310, 324  
   direct measurements of, 308  
   gaseous-aerosol, 6–27, 8*f*  
   geographic distribution of, 6–27, 8*f*, 8*t*  
   “hot particles,” 6, 12, 21, 35, 92–93, 221, 237, 319  
   impact of  
     dismissing, fallacy of, 38  
     methodological problems in determining, 32–41, 319–320  
     methods of determining, 38–39, 320  
   incorporated long-living, 217–218, 321  
   incorporation of  
     in fauna, 255–259, 273, 323  
     in flora, 237–246, 323  
     in human body, 294–300  
     in human organs, variations in, 297, 299*t*  
   movement to food chain, 35, 221  
   primary emissions, estimates of, 16–18, 19*t*  
   stages of cloud formation, 8*f*  
   in surface air contamination  
     concentrations of, 223, 224*t*  
     dynamics of, 223, 224*t*, 225*f*  
   “radiophobia,” viii, 322  
 radishes, 243, 315  
 rainfall data, 5–6  
*Rana*, 258  
*Rana arvalis*, 259, 267, 271–272  
*Rana esculenta*, 267, 267*t*, 272, 272*t*  
*Rana temporaria*, 267, 272  
*Rangifer tarandus*, 256*t*  
 raspberries (*Rubus idaeus*), 241*t*, 242*f*, 242*t*, 243, 244*t*, 247, 315  
 rat(s)  
   biological changes in, 269–271, 270*t*  
   lifespan of, 262, 263*t*  
   reproductive abnormalities in, 260, 262  
*Rattus norvegicus*, 260, 262, 263*t*, 269–271, 270*t*  
 Rb. *See* rubidium  
 receptor-leukotriene reaction, 61  
 rectal cancer, 161, 182  
 red-bellied toad, 258  
 red blood cells. *See* erythrocytes

- red cell leukemia, 177*t*  
 “Red Forest,” 250, 266  
 red lentils, 294  
 reed grass, common, 240*t*  
 reflexes, pathological, 111  
 refraction errors, 112, 113, 114  
 reindeer, 256*t*  
 reliability of distinctions by Student, 37  
 renal cancer, 182, 184, 184*t*  
 renal disorders, 96, 98, 101  
 renal infections, 124  
 renin, 79, 79*t*  
 reproductive disorders, 96–102, 320  
   in Belarus, 97  
   in fauna, 255, 259–265, 323  
   in Russia, 100–101, 100*t*, 101*f*, 101*t*  
   in Ukraine, 98–99, 98*t*  
 respiratory system disease, 92–96, 218, 320  
   in Belarus, 93  
   in children of irradiated parents, 75  
   in Russia, 95–96, 95*t*, 96*t*  
   in Ukraine, 93–95, 94*f*  
 respiratory virus infections, acute, 88, 91, 93  
 reticulosarcoma, 179  
 retinal glioma, 181  
 retinal pathology, 112, 114–115  
 retroviruses, 281  
 Reunion Island, contamination of, 16  
 rhamn, 243  
*Rhamnus*, 243  
 rhinitis, 92, 93  
*Ribes*, 315  
 ringworm, 124, 124*t*, 281  
 rivers, 226–229  
 roach (fish), 228*t*  
 roe deer, 256*t*, 257, 259*t*, 314–315, 323  
 Romania  
   cancer morbidity in, general, 185*t*  
   cancer mortality in, 185*t*  
   contamination of, 11*t*, 233*t*, 319  
   leukemia in, 181  
   thyroid cancer in, 173, 173*f*  
 Romberg test scores, 111  
 R-proteins, 87  
 Ru-103. *See* ruthenium-103  
 Ru-106. *See* ruthenium-106  
 rubidium (Rb), 315–316  
*Rubus caesius*, 241*t*, 242*t*, 243, 247  
*Rubus idaeus*, 241*t*, 242*f*, 242*t*, 243, 244*t*, 247, 315  
*Rubus nessensis*, 241*t*, 242*t*  
 Russia  
   contamination of, 8*t*, 10, 11*t*, 14, 18*t*, 25, 25*t*, 319  
     agricultural land, 311–312  
     aquatic (water), 226–228  
     fauna, 255–279  
     flora, 237–254  
     population affected by, 25, 25*t*, 26*t*  
     soil (ground), 229–230  
     surface air (atmospheric), 223–225  
   economic damage in, 325  
   health effects in  
     blood and blood-forming organ disease, 60–61  
     cancer morbidity, general, 164, 164*f*, 184–185, 184*t*, 185*t*  
     cancers other than thyroid and blood, 183–184  
     cardiovascular disease, 63–64, 63*t*  
     chromosomal aberrations, 68–70, 68*t*, 69*t*, 70*f*, 70*t*, 71*t*  
     congenital malformations, 129–130, 130*t*  
     digestive system/visceral organ, 118–119, 118*t*, 119*t*, 120*f*, 120*t*  
     endocrine system disease, 80–82, 81*f*, 81*t*, 82*t*, 83*t*  
     general morbidity, 48–50  
     in adults, 49–50, 49*t*, 50*t*, 133*t*, 134  
     in children, 48–49, 49*t*  
     immune system, 90–92  
     infections and parasitic infestations, 124, 124*t*  
     leukemia, 179–180, 181*t*  
     nervous system, 109–111, 109*t*, 110*t*  
     respiratory system, 95–96, 95*t*, 96*t*  
     sense organ diseases, 110*t*, 115  
     skin disease, 121–122, 121*t*, 122*t*, 123*t*  
     thyroid cancer, 86, 168–170, 171*f*, 171*t*  
     thyroid disease, 86, 86*t*  
     urogenital/reproductive, 100–101, 100*t*, 101*f*, 101*t*  
   “health of population,” 48  
   life expectancy in, 193, 193*f*

- mortality in  
 antenatal, 49, 100, 193, 194*f*, 196  
 cancer, 184–185, 184*t*, 185*t*  
 infant, 183, 197, 200, 201*f*, 201*t*  
 liquidator, 201–205, 204*f*, 205*t*, 206*t*  
 overall (general), 207–209, 207*t*, 208*t*,  
 209*f*, 218  
 perinatal, 197  
 total number of extra deaths, 209, 210*t*  
 total number of victims, 209–211, 322  
 national report (2006), xi  
 protection measures in, 311–317  
 Russia, Asian, contamination of, 14  
 Russia, European. *See also* Russia  
 contamination of, 8*t*, 10, 11*t*, 18*t*, 25, 25*t*,  
 319  
*Russula*, 245, 245*t*  
 russulas, 245, 245*t*  
 ruthenium-103 (Ru-103)  
 contamination, 12, 15  
 aquatic (water), 228–229, 228*t*, 229*t*  
 flora, 238*t*, 239*t*  
 soil (ground), 231, 232, 232*t*, 233*t*  
 surface air (atmospheric), 224*t*, 225, 225*t*,  
 226, 227*t*  
 dose spectrum changes in, 23  
 “hot particles,” 21  
 primary emissions of, 19*t*  
 and thyroid cancer, 174–176  
 ruthenium-106 (Ru-106)  
 contamination, 12  
 aquatic (water), 228*t*  
 dose spectrum changes, 23  
 flora, 238*t*, 244, 245*t*  
 food, 294  
 “hot particles,” 21, 92  
 primary emissions, 19*t*  
 surface air (atmospheric), 225, 225*t*  
 uneven/spotty, 21  
 and thyroid cancer, 174–176  
*Rutilus rutilus*, 264  
 rye, 248*t*, 250
- S**
- sage, 294  
*Salmo trutta*, 261*f*  
*Salvelinus alpinus*, 261*f*  
*Salvia*, 294  
*Salvia officinalis*, 243  
 “samosels,” chromosomal aberrations in, 67,  
 67*t*  
 sander, 228*t*  
 sapropel, 312  
 saprophytic bacteria, 281–282  
 “Sasakava” project, 84, 85  
 satellite DNA, changes in, 73  
 Sb-126. *See* antimony-126  
 Sb-127. *See* antimony-127  
 “sborniks,” 38  
 SCANNER-3, 294–295  
 schizophrenia, 108, 115  
 schizophreniform syndrome, 115  
 scientific and practical conferences, 37–38  
 scientific protocols, data collected without,  
 36–38, 320  
 scoliosis, 128  
*Scopolas rusticola*, 260*t*  
 Scotland  
 congenital malformations in, 131*t*  
 contamination of, 7, 12  
 aquatic (water), 228  
 soil (ground), 231–232, 233*t*  
 surface air (atmospheric), 226  
 Down syndrome in, 71–72  
 human body contamination in, 299–300  
 leukemia in, 180  
 screening, cancer, 325  
 scrub forests, 240  
 Se-141. *See* selenium-141  
 Se-144. *See* selenium-144  
 seas, 226–229  
 seasonal variation, 295–296  
 seaweed, 239*t*, 304, 309  
 secondary contamination, 322  
 secrecy, 33–35, 177, 319, 325–326  
 selenium, for radioprotection, 303–304  
 selenium-141 (Se-141), 224*t*  
 selenium-144 (Se-144), 224*t*  
 self-settlers, chromosomal aberrations in, 67,  
 67*t*  
 seminiferous tubules, 101  
 senile illnesses, 55–56  
 sense organs

- diseases of, 112–116  
 in Belarus, 112–113, 113*f*, 113*t*  
 in Russia, 110*t*, 115  
 in Ukraine, 113–115  
 malformations of, 112, 126, 129–130  
 sepsis, 321  
 puerperal, 122  
 sex ratio  
 of births, 101–102, 194  
 of stillbirths, 195, 196*f*  
 sexual development, 78, 80, 82–84, 96, 97, 100  
 sexual dysfunction, 97, 99  
 Shannon diversity index, 283  
 “sharp inhalation effect of the upper respiratory path,” 218  
 sheep, 255, 256*t*  
 shining pondweed, 240*t*  
 shrew  
 common, 256*t*, 271, 271*t*  
 little, 256*t*  
 significance, statistical, 36–38, 39, 318, 320  
 significance of difference, 37  
*Silurus glanis*, 259  
 silver-110 (Ag-110)  
 contamination, 12  
 fauna, 256*t*  
 surface air (atmospheric), 225*t*  
 primary emissions of, 18  
 silver-125m (Ag-125m), 22*f*–23*f*  
 silver bream, 228*t*  
 skeletal muscle, contamination of, 299*t*  
 skin anomalies, 128  
 skin cancer  
 in Belarus, 181  
 in Russia, 183, 184*t*  
 time until clinically apparent, 161  
 skin diseases, 120–122  
 in Belarus, 120–121  
 purulent, 91  
 in Russia, 121–122, 121*t*, 122*t*, 123*t*  
 in Ukraine, 121  
 Slovakia  
 cancer morbidity in, general, 185*t*  
 contamination of, 11*t*  
 mortality in, cancer, 185*t*  
 Slovenia  
 cancer morbidity in, general, 185*t*  
 cancer mortality in, 185*t*  
 contamination of, 11*t*  
 cancer morbidity in, general, 185*t*  
 cancer mortality in, 185*t*  
 contamination of, 11*t*, 319  
 small-for-gestational-age babies, 43  
 small fry (fish), 264, 315  
 small (point) mutations, 65, 73  
 SMR. *See* standardized mortality ratio  
 Sniardwy, Lake, 229  
 soft wheat, 248  
 soil contamination, 221, 229–233, 233*t*, 285, 316, 322–323  
 agricultural, 311–313  
 in Belarus, 229–230  
 in Germany, 231, 232*t*  
 microbial biota, 281–284  
 in Norway, 231, 232*t*  
 plant cycling of, 237, 240, 241*f*  
 in Poland, 231, 232*t*  
 in Russia, 229–230  
 transfer ratio/coefficient in, 230, 237, 240, 241, 241*t*, 242, 242*f*, 243*f*, 243*t*  
 for mushrooms, 245, 245*t*  
 for plants, 240–243, 241*t*–244*t*, 242*f*, 243*f*  
 in Ukraine, 229–230  
 in United Kingdom, 231–232, 233*t*  
 in United States, 232, 233*t*  
 vertical migration in, 35, 230, 231*t*, 233  
 Solanaceous species, 282  
*Solidago virgaurea*, 249  
*Sonchus arvensis*, 247  
 sorbents, 304–309, 312, 316, 324  
*Sorbus aucuparia*, 241*t*, 242*t*, 243, 315  
*Sorex araneus*, 256*t*, 271, 271*t*  
*Sorex minutus*, 256*t*  
 Southern Hemisphere, contamination of, 16  
 South Pole, contamination of, 16  
 Soviet Union. *See also* Russia  
 objective data from, difficulty in obtaining, 33–36  
 secrecy/concealment in, 33–35, 319  
 Sozha River, 226  
 spade-footed toad, 258  
 Spain  
 cancer morbidity in, general, 185*t*  
 cancer mortality in, 185*t*  
 contamination of, 11*t*



- sparrows, 267
- sperm abnormalities, 73, 76, 99, 100–101, 192
- spina bifida, 132
- Spirulinae*, 316
- spleen, 87, 299*t*
- spontaneous abortions, 73–74, 192–196, 198*t*  
 in Belarus, 43, 97  
 in Iceland, 195, 197*f*, 198*t*  
 in Russia, 49, 100, 101*f*, 193  
 in Ukraine, 99, 193
- spotty contamination, 19–21, 20*f*, 22*f*–23*f*, 35, 319
- spring wheat, 243
- sprouts, immune stimulation by, 304
- spruce, 246, 247*f*, 247*t*
- Sr-89. *See* strontium-89
- Sr-90. *See* strontium-90
- stable aberrations, 65, 69
- standard errors, 37
- standardized mortality ratio (SMR), 207–209  
 in Belarus, 207, 209  
 in liquidators, 204, 204*f*  
 in Russia, 207–209, 208*t*, 209*f*  
 in Ukraine, 208, 209
- Staphylococcus aureus*, 268–269
- State Registry of Belarus, 295
- statistical significance, 36–38, 39, 318, 320
- stem cells, 87
- Stemphylium*, 282
- stem rust fungus, 250
- sterility. *See* infertility
- stillbirths, 192–196, 199*t*. *See also* perinatal mortality  
 in Belarus, 192, 193*f*  
 bone disease and, 102, 103*t*  
 in Croatia, 194, 194*f*  
 in Finland, 195  
 gender analysis of, 195, 196*f*  
 in Germany, 193*f*, 194–195  
 in Greece, 193*f*  
 in Hungary, 193*f*  
 in Norway, 195  
 in Poland, 193*f*  
 in Russia, 193, 194*f*  
 in Sweden, 193*f*  
 in Ukraine, 193, 197, 200*f*  
 in United Kingdom, 196*f*
- stomach cancer  
 in Belarus, 181–182  
 in Russia, 183  
 time until clinically apparent, 161
- stomach mucosa atrophy, 117
- stomach ulcers, 116, 117
- strawberries (*Fragaria*), 240–244, 241*t*, 242*f*, 242*t*, 244*t*, 315
- stress, posttraumatic, 107
- stroke, 63
- strontium, decorporation of, 304, 309
- strontium-89 (Sr-89)  
 contamination  
 aquatic (water), 229*t*  
 flora, 239*t*  
 primary emissions of, 19*t*
- strontium-90 (Sr-90)  
 bioaccumulation of, 285  
 contamination  
 aquatic (water), 227–228, 228*t*  
 Asia, 14  
 Belarus, 8–9, 15*f*  
 dose spectrum changes, 23  
 Europe, 6–7  
 fauna, 256*t*, 257–259, 257*f*, 260*t*  
 flora, 239, 242, 243–244, 244*t*  
 food, 291, 294  
 human body, 297–298  
 movement to food chain, 221  
 with multiple radionuclides, 35  
 primary emissions of, 19*t*  
 soil (ground), 231*t*, 316, 323  
 uneven/spotty, 20
- health effects  
 blood disease, 60  
 cancer, 184  
 dental, 119–120  
 endocrine, 80  
 genetic, 77  
 immune system, 88  
 sexual development, 98
- incorporated long-living, 217–218
- mortality effects  
 cancer, 208*t*  
 overall (general), 210  
 perinatal, 197, 199*f*  
 protection measures against

agricultural, 312, 312*t*, 313*t*  
 everyday life, 315–316  
 forestry, hunting, and fisheries, 313  
 in teeth, 24  
*Stylaria lacustris*, 264–265  
*Succisa pratensis*, 249  
 sudubravas, 245  
 suicide, 111  
*Suillus luteus*, 245*t*  
 surface air contamination, 223–226, 227*t*,  
 232–233, 285, 322–323  
 in Belarus, 223–225, 224*t*, 225*f*  
 concentrations of radionuclides in, 223, 224*t*  
 dynamics of radionuclides in, 223, 224*t*,  
 225*f*  
 in Finland, 225, 225*t*  
 in Russia, 223–225  
 in Ukraine, 223–225, 224*t*  
 in United States, 226, 226*t*  
*Sus scrofa*. *See* boars  
 Svjetsko Lake, 228  
 swallows. *See* barn swallows  
 Sweden  
 birth rate in, 195  
 cancer morbidity in, general, 164, 185*t*  
 cognitive effects in, 112  
 congenital malformations in, 131*t*  
 contamination of, 11*t*, 12–14, 23, 319  
 aquatic (water), 229, 230*f*  
 soil (ground), 231  
 Down syndrome in, 71  
 food contamination in, 292, 295*t*  
 low birth weights in, 50  
 mortality in  
 antenatal, 193*f*, 195, 197*f*, 198*t*  
 cancer, 185*t*  
 infant, 200–201, 203*f*  
 protection measures in, 316  
 sex ratio of births in, 102  
 swine, wild. *See* boars  
 Swiss chocolate, 294  
 Switzerland  
 birth rate in, 195  
 cancer morbidity in, general, 185*t*  
 contamination of, 11*t*, 319  
 mortality in  
 antenatal, 198*t*

cancer, 185*t*  
 infant, 201, 203*f*  
 protection measures in, 316  
 thyroid cancer in, 174  
 symmetry, fluctuating, 323  
 “symptoms, phenomena, and inexact  
 designated conditions,” 48  
 syndromes, 321–322  
 “acute inhalation depression of the upper  
 respiratory system,” 92–93, 321  
 AIDS, 1  
 chronic fatigue, 107, 218, 321  
 climacteric, 99  
 congenital convulsive, 105  
 diffraction grating, 114–115, 218  
 Down (trisomy 21), 71–72, 72*f*, 72*t*, 73*f*  
 dyspeptic, 117  
 early aging, 321–322  
 ecological disadaptation, 44  
 Edward’s, 72  
 epileptiform, 107  
 incipient chestnut, 115, 218  
 incorporated long-living radionuclides,  
 217–218  
 Klinefelter, 72  
 lingering radiation illness, 218, 321  
 metabolic X, 107  
 myelodysplastic, 59  
 Patau, 72  
 progeroid, 56  
 schizophreniform, 115  
 “sharp inhalation effect of the upper  
 respiratory path,” 218  
 Turner’s, 72

## T

T3. *See* triiodothyronine  
 T4. *See* thyroxine  
 Tahiti, contamination of, 16  
 T cells, 87–92  
 T-cellular receptor (TCR) mutations, 69  
 TCR mutations. *See* T-cellular receptor  
 mutations  
 Te-122. *See* tellurium-122  
 Te-129. *See* tellurium-129  
 Te-132. *See* tellurium-132

- tea, 239*t*, 292, 294
- teals, 257
- teeth
- acid resistance of enamel, 116
  - anomalies of, 118, 118*t*, 119–120, 128
  - decay of, 116, 117, 118, 119–120, 128
  - loss of, 104
  - pathological erosion of enamel, 119
  - premature eruption of, 117
  - thyroid dysfunction and, 84
  - timescales of radiation in enamel, 23–24
- tellurium-122 (Te-122), 12
- tellurium-129 (Te-129)
- contamination
    - soil (ground), 232*t*
    - surface air (atmospheric), 225*t*
  - dose spectrum changes in, 23
- tellurium-131m (Te-131m), surface air
- contamination by, 225*t*
- tellurium-132 (Te-132)
- contamination
    - aquatic (water), 228–229, 229*t*
    - Belarus, 7, 13*f*
    - Europe, 6
    - flora, 239*t*
    - Scotland, 12
    - soil (ground), 232, 232*t*
    - surface air (atmospheric), 225*t*, 226
    - Sweden, 12–14
  - dose of, difficulty in reconstructing, 35
  - dose spectrum changes in, 23
  - “hot particles,” 21
  - primary emissions of, 17–18
  - and thyroid cancer, 174–176
- tench fish, 315
- testes, 77, 96
- testicular function, 82, 99, 100–101
- testosterone, 78, 80, 82–83, 97
- TGH. *See* thyrotrophic hormone
- Thea sinensis*, 239*t*
- “The Other Report on Chernobyl” (TORCH), x
- throat, disorders of, 92–93
- thrombocytes, 60–61, 87
- thyme, 294
- thymus, 87, 299*t*
- Thymus*, 243
- Thymus serpyllum*, 241
- thyroid autoantibodies, 88, 89
- thyroid cancer, viii, 2, 32, 165–176, 321
- in Belarus, 165–166, 165*f*, 166*f*, 167*t*, 168*f*, 176
  - “Chernobyl effect” on, 170
  - chromosomal aberrations and, 76
  - congenital, 166
  - in France, 170, 172, 172*f*
  - global increase in, 170–174
  - in Greece, 172, 173*f*
  - mortality from, 184*t*
  - number of people with, 165–174
  - papillary, 165
  - predictions for, 174–176, 175*t*, 176*t*, 184, 184*t*
  - in Romania, 173, 173*f*
  - in Russia, 86, 168–170, 171*f*, 171*t*
  - time until clinically apparent, 161
  - in Ukraine, 166–168, 169*f*, 169*t*, 170*f*, 176
  - in United States, 174, 174*f*
- thyroid disease/dysfunction, viii, 1, 77–87, 176
- in Belarus, 78–79
  - in children of irradiated parents, 74
  - chromosomal aberrations and, 76
  - illnesses associated with, 83
  - mental effects of, 110
  - in Poland, 86
  - prevention of, 325
  - in Russia, 86, 86*t*
  - in Ukraine, 80, 85–86, 85*f*, 85*t*
- thyroid gland contamination, 299*t*, 300
- thyroid hyperplasia, 84, 85, 85*t*, 86, 86*t*
- thyroid insufficiency, 165
- thyroiditis, 78, 83–86
- autoimmune, 79, 80, 83–84, 85, 165
  - chronic, 85–86, 85*f*
- thyroid nodules, 165, 166
- thyroid-stimulating hormone (TSH), 80
- thyrotoxicosis, 80
- thyrotrophic hormone (TGH), 82
- thyroxine, 78, 80, 83, 84, 97
- tilling, 312
- TNF. *See* tumor necrosis factor
- toads
- genetic changes in, 267

incorporation of radionuclides, 258–259  
 tobacco mosaic virus, 282  
 tonsil hypertrophy, 89  
 tonsillitis, chronic, 61, 89, 93  
 tooth. *See* teeth  
 TORCH. *See* “The Other Report on Chernobyl”  
 toxemia, maternal, 101  
 trachea, 92  
 Trans-Caucasus, contamination of, 14–15, 320  
 transfer ratio/coefficient  
   for fauna, 255–256, 258–259  
   soil, 230, 237  
     for mushrooms, 245, 245*t*  
     for plants, 240–243, 241*t*–244*t*, 242*f*, 243*f*  
 translocations, chromosomal, 65, 70, 71*t*  
 tree(s). *See also specific types*  
   contamination of, 237–244, 250, 266, 311  
   as “live partition wall,” 314  
   protection measures for, 313–315, 316, 324  
   radial growth of, 250  
   radiation protection measures for, 313–315  
 tree frog, 258  
 trichocephalosis, 122  
*Trichocephalus trichiurus*, 122  
*Trifolium*, 239  
 trigonocephaly, 72  
 triiodothyronine (T3), 79, 80, 83, 84  
 trisomy 13, 72  
 trisomy 18, 72  
 trisomy 21, 71–72, 72*f*, 72*t*, 73*f*, 130, 131  
*Triticum aestivum*, 246–247, 248, 248*t*, 249, 250  
 trout, 261*f*  
 TSH. *See* thyroid-stimulating hormone  
 tuberculosis, 123, 281  
 tumor(s). *See also* cancer  
   fauna, 270–271, 271*t*  
   flora, 247–248  
 tumor necrosis factor (TNF), 87  
 Turkey  
   congenital malformations in, 131*t*, 132  
   contamination of, 11*t*, 15, 319, 320  
   food contamination in, 292  
 Turner’s syndrome, 72  
 Twenty Years after the Chernobyl Accident:  
   Future Outlook, xi

Twenty Years of Chernobyl Catastrophe:  
 Ecological and Sociological Lessons.  
 Materials of the International Scientific and  
 Practical Conference, xi  
*Typha angustifolia*, 240*t*  
 Tyrrhenian Sea, 229, 230*f*

## U

U. *See* uranium  
 Ukraine  
   contamination of, 10, 319  
     agricultural land, 311–312  
     aquatic (water), 226–228, 228*t*  
     Cs-137, 8*t*, 10, 11*t*, 17*f*  
     fauna, 255–279  
     flora, 237–254  
     “hot particles” in, 21  
     lead, 24  
     population affected by, 25, 25*t*  
     Pu, 17*f*  
     soil (ground), 229–230  
     surface air (atmospheric), 223–225, 224*t*  
   economic damage in, 325  
   food contamination in, 292–293  
   health effects in, 217–219  
     accelerated aging, 55  
     blood and blood-forming organ disease,  
       59–60  
     bone and muscle diseases, 102–103, 103*t*  
     breast cancer, 182–183  
     cancer morbidity, general, 163–164, 183,  
       184–185, 184*t*, 185*t*  
     cancers other than thyroid and blood,  
       182–183  
     cardiovascular disease, 63  
     chromosomal aberrations, 67–68, 67*t*  
     congenital malformations, 127–129, 129*f*,  
       201, 201*t*, 217, 218*f*  
     digestive system and visceral organ,  
       117–118, 117*t*  
     endocrine system disease, 80  
     general morbidity, 45–48, 134  
       in adults, 46–48, 47*f*, 47*t*, 48*f*, 48*t*,  
       134*t*  
       in children, 45–46, 45*t*, 46*f*, 47*t*, 133*t*  
     immune system, 89–90

- infections and parasitic infestations, 123–124
- leukemia, 178–179, 179*f*, 179*t*, 180*t*
- lymphoma, 179*f*, 180*t*
- nervous system, 106–109, 106*f*, 106*t*, 107*t*
- respiratory system, 93–95, 94*f*
- sense organ diseases, 113–115
- skin diseases, 121
- thyroid cancer, 166–168, 169*f*, 169*t*, 170*f*, 176
- thyroid disease, 80, 85–86, 85*f*, 85*t*
- urogenital/reproductive, 98–99, 98*t*
- “health of population,” 217
- human body contamination in, 297
- life expectancy in, 193, 193*f*
- mortality in
- antenatal, 99, 193, 196, 197, 200*f*
  - cancer, 184–185, 184*t*, 185*t*
  - infant, 199, 200, 201*f*, 201*t*
  - liquidator, 201–203, 204*f*
  - neonatal, 197, 200*f*
  - overall (general), 206–207, 207*t*, 208, 209, 218
  - perinatal, 197, 200*f*
  - total number of extra deaths, 209, 210*t*
  - total number of victims, 209–211, 322
- national report (2006), xi
- protection measures in, 311–317
- Ukrainian Center of Radiation Medicine, 304
- ulcers
- hemorrhagic, 117
  - peptic, 117
  - stomach, 116, 117
- uneven contamination, 19–21, 20*f*, 22*f*–23*f*, 35, 319
- United Kingdom
- cancer morbidity in, general, 185*t*
  - contamination of, 6, 11*t*, 14, 319
    - aquatic (water), 228
    - soil (ground), 231–232, 233*t*
    - surface air (atmospheric), 226
  - Down syndrome in, 71–72
  - food contamination in, 291, 295*t*
  - human body contamination in, 299–300
  - leukemia in, 180
  - low birth weights in, 50
  - mortality in
    - antenatal, 195, 196*f*
    - cancer, 185*t*
    - perinatal, 195, 196*f*, 199
    - secrecy in, 33
    - thyroid cancer in, 172
- United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) and Chernobyl Forum, 1
- data requirements/errors of, 36, 174, 184, 319
  - decorporation initiatives, 324
  - facts accepted by, xii
  - primary emission estimates of, 17–18
- United States
- contamination of, 8*t*, 15, 18*t*
    - soil (ground), 232, 233*t*
    - surface air (atmospheric), 226, 226*t*
  - food contamination in, 292–294, 294*t*
  - thyroid cancer in, 174, 174*f*
- UNSCEAR. *See* United Nations Scientific Committee on the Effects of Atomic Radiation
- upper respiratory system disease, 92–96, 218
- uranium (U), “hot particles” of, 21
- urogenital cancer, 182, 183
- urogenital infections, chronic, 122
- urogenital tract diseases, 96–102, 320
- in Belarus, 97
  - in Russia, 100–101, 100*t*, 101*f*, 101*t*
  - in Ukraine, 98–99, 98*t*
- urogenital tract malformations, 129
- USSR. *See* Russia; Soviet Union
- uterine anomalies, 82–83
- uterine fibromas, 98
- uterine tumors, 69, 69*t*, 76
- uveitis (or uvitis), 112
- V**
- Vaccinium myrtillus*, 239–244, 241*f*, 241*t*, 242*f*, 242*t*, 315
- Vaccinium uliginosum*, 241, 241*t*, 242*t*, 243, 243*t*
- Vaccinium vitis-idaea*, 241, 241*t*, 242*t*, 243, 315
- vaginitis, 283
- Variability of Mammals* (Yablokov), 36
- vasomotor dyscrasia, 110
- vegetables

contamination of, 289, 291*t*  
 decorporation of, 303  
 protection measures for, 315, 316, 324  
 vegetovascular dystonia, 63, 110, 119, 205, 217, 321  
 vertical migration, in soil, 35, 230, 231*t*, 233  
*Verticillium*, 282  
 vetch, 239  
 veterinary studies, 255  
*Viburnum opulus*, 241*t*, 242*t*, 243  
*Vicia*, 239  
 victims, total number of, 32, 209–211, 322  
*Viola matutina*, 250  
 violets, 250  
 virulence, of microbes, 281  
 viruses, 281–284, 323. *See also specific types*  
 visceral organ diseases, 116–120  
   in Belarus, 116  
   in Russia, 118–119, 118*t*, 119*t*, 120*t*  
   in Ukraine, 117–118, 117*t*  
 vitamin(s)  
   with decorporation, 305  
   radioprotection from, 315, 316  
 vitamin A, 59, 134, 264, 303, 316  
 vitamin B, 305  
 vitamin C, 303, 305, 316  
 vitamin E, 59, 134, 264, 305, 316  
 Vitapect, 305–308, 305*f*, 305*t*, 306*f*, 306*t*, 307*f*, 307*t*, 316  
 vitreous degeneration, 112, 113, 114  
 voles. *See* bank voles  
 Volga River, 226

## W

Wales  
   contamination of, 6–7  
   low birth weights in, 50, 50*f*  
   perinatal mortality in, 199  
 wall lettuce, 249  
 washing away, 304, 316  
 Washington State, contamination of, 15, 18*t*  
 water contamination, 221, 226–229, 228*t*, 232–233, 259, 285, 322–323  
   in Belarus, 226–228  
   in Canada, 228, 229*t*  
   in Finland, 228, 229*t*

  in France, 228, 229*t*  
   in Greece, 228, 229*t*  
   in Russia, 226–228  
   in Sweden, 229, 230*f*  
   Tyrrhenian Sea, 229, 230*f*  
   in Ukraine, 226–228, 228*t*  
 WBC. *See* whole body counting  
 weak contamination, xii  
 wheat  
   contamination of, 243, 291, 293*f*  
   as food supplement, 304  
   genetic changes in, 248, 249  
   morphological changes in, 246–247, 248*t*  
   phenolic compounds in, 250  
 whipworm, 122  
 white blood cells. *See* leukocytes; lymphocytes  
 white silver carp, 264  
 white-tailed deer, 256*t*  
 WHO. *See* World Health Organization  
 whole body counting (WBC), 305–306, 308, 325  
 whole-body retention functions, 307, 307*f*  
 wind direction, 5–6  
 winter rye, 250  
 winter wheat, 246–247, 248, 248*t*, 249, 250  
 “wolf mouth,” 130  
 wolves, 263, 285, 315  
 woodcock, 260*t*  
 World Health Organization (WHO)  
   The Chernobyl Forum, x, xi, 1, 32, 104, 209, 322  
   chromosomal linkage denied by, 75–76  
   collective dose estimation by, 24  
   early predictions by, 322  
   methodological requirements of, 36  
   pectin endosorbents tests of, 304  
 worldwide collective dose, 24, 25*t*, 174, 219  
 worldwide contamination, 318–319, 319*f*  
 Wyoming, contamination of, 18*t*

## X

xenon-133 (<sup>133</sup>Xe), 19*t*  
*Xerocomus badius*, 245, 245*t*  
*Xerocomus submoentosus*, 245*t*  
 XXX chromosomes, 72  
 XYY chromosomes, 72

**Y**

- Yablokov, Alexey, x, 36–37  
Yablopect, 305  
yellow boletus mushroom, 245*t*  
yellow-necked mouse, 256–257, 256*t*, 265, 269  
Yugoslavia  
  chromosomal aberrations in, 70  
  contamination of, 11*t*, 14  
    soil (ground), 233*t*  
    surface air (atmospheric), 226  
  food contamination in, 295*t*

**Z**

- Zapadnaya/Dvina-Daugava River, 226  
*Zea*, 239  
*Zea mays*, 250*t*  
zeolites, 312

- zinc  
  for radioprotection, 303–304, 316  
  supplement, with decorporation, 305  
zinc-65 (Zn-65), 15, 225, 238*t*  
zirconium-95 (Zr-95)  
  contamination, 15  
    aquatic (water), 228*t*  
    fauna, 260*t*  
    flora, 238*t*  
    surface air (atmospheric), 224*t*, 225, 225*t*  
  dose spectrum changes in, 23  
  “hot particles,” 21  
  primary emissions of, 17–18, 19*t*  
Zn-65. *See* zinc-65  
zoobenthos, 227  
zooplankton, 259, 262*t*  
*Zostera*, 305  
Zosterin-Ultra, 305  
Zr-95. *See* zirconium-95